ENGINEERING DEPT.

PRODUCT SPECIFICATION

SPEC.NO.: SPCI090C

REVISIONS | ECNT120150

For CI46 Series Connector System

PAGE: 1/6

1. SCOPE:

This specification contains the test requirement of subject connectors when tested under the condition and procedure with terminals crimped on the specified maximum size wire

2. APPLICABLE STANDARDS:

MIL - STD - 202

Methods for test of connectors for electronic equipment

EIA - 364

Test methods for electrical connectors

3. APPLICABLE SERIES NO: CI46 SERIES

4. SHAPE, CONSTRUCTION AND DIMENSIONS See attached drawings

5. MATERIALS

See attached drawings

6. ACCOMMODATED P.C.BOARD

6.1 Thickness: 1.6mm(.063")

6.2 P.C. Board Layout: See attached drawings



REVIEWED : <u>Eisley</u> APPROVED : <u>Sun</u> VERIFIED : <u>Jessie</u> .



	ENGINEERING DEPT.		PRODUCT SPECIFICATION	SPEC.NO.:	SPCI090C
F	REVISIONS	ECNT120150	For CI46 Series Connector System	PAGE:	2/6

7. ELECTRICAL PERFORMANCE:

	ITEM	TEST CONDITION	REQUIREMENT
7.1	Rated current and voltage		1A 125V AC (r.m.s.)
7.2	Contact resistance	Dry circuit of DC 20 mV max., 100 mA max.(JIS C5402 5.4)	Less than $30 \text{ m}\Omega$
7.3	Dielectric strength	When applied AC 500 V 1 minute between adjacent terminal(JIS C5402 5.2/MIL-STD 202 method 301)	No change
7.4	Insulation resistance	When applied DC 100 V between adjacent terminal or ground (JIS C5402 5.2/MIL-STD 202 method 302)	More than 500 M Ω

8. MECHANICAL PERFORMANCE:

	ITEM	TEST CONDITION	REQUIREMENT
8.1	Wire size	Specified wire size	Accepts AWG#26~#32
8.2	Terminal crimp Tensile	When crimped AWG#26 size wire	More than 1.2 Kgf
	strength	When crimped AWG#28 size wire	More than 1.0 Kgf
		When crimped AWG#30 size wire	More than 0.5 Kgf
		When crimped AWG#32 size wire	More than 0.3 Kgf
8.3	Terminal insertion force	Insertion speed 25± 3 mm per minute into housing	Less than 300 gram
8.4	Contact retaining force in insulator	Retention speed 25± 3 mm per minute from housing	More than 500 gram
8.5	Single contact insertion force	Measure force to insertion using 0.50 mm square pin at speed 25± 3 mm per minute	300 gram max.
8.6	Single contact withdrawal force	Measure force to withdrawal using 0.50 mm square pin at speed 25± 3 mm per minute	60 gram min.
8.7	7 Pin retention force Push pin from insulator base at speed		More than 0.3 Kgf
		25± 3 mm per minute	
8.8	Mating & Un-mating force	Insert and withdraw connector at speed of 25 ± 3 mm per minute	See Item 11
8.9	Durability	Connector shall be subjected to 30 cycles of insertion and withdrawal (repeatedly by the rate of 10 cycles per minute)	Contact resistance: Less than twice of initial



ENGINEERING DEPT.		PRODUCT SPECIFICATION	SPEC.NO.:	SPCI090C
REVISIONS	ECNT120150	For CI46 Series Connector System	PAGE:	3/6

9. ENVIRONMENTAL PERFORMANCE:

	ITEM	TEST CONDITION	REQUIREMENT	
9.1	Temperature rise	Then carried the rated current (UL 498)	30°C max.	
9.2	Vibration	1.5 mm 10-55-10 HZ / minute each 2 hours for X, Y and Z directions (MIL-STD-202,method 201) Appearance: No dar Discontinuity: 1 micro second max		
9.3	Solderability	Soldering time: 3 ± 0.5 second Soldering pot: 245 ± 5°C	Minimum: 90% of immersed area	
9.4	Resistance to soldering heat	Refer Reflow temperature profile(12.1)	No damage	
9.5	Heat aging	85± 2°C, 96 hours(JIS C60068-2-2/MIL-STD-202,method 108)	No damage Contact resistance: Less than twice of initial	
9.6	Humidity	60 ± 2°C, 90-95% RH, 96 hours measurement must be taken within 30 min. after tested (JIS C0020/MIL-STD-202, method 103)	Appearance: No damage Contact resistance: Less than twice of initial Insulation resistance: To pass Para 7-4	
9.7	Temperature cycling	Five cycle consists of :(JIS C0025) (1)-55 +0 °C, 30 min. (2)Room temp. 10-15 min. (3)105 +3 °C, 30 min. (4)Room temp. 10-15 min.	Appearance: No damage Contact resistance: Less than twice of initial	



ENGINEERING DEPT.

PRODUCT SPECIFICATION

SPEC.NO.: SPCI090C

REVISIONS | ECNT120150

For CI46 Series Connector System

PAGE: 4/6

	ITEM	TEST CONDITION	REQUIREMENT
9.8	Salt spray	Temperature: 35 ± 3°C	Appearance: No damage
		Solution: 5 ± 1%	Contact resistance:
		Spray time: 48 ± 4 hours	Less than twice of initial
		(Stamping before plated)	
		Spray time: 24 ± 4 hours	
		(Stamping after plated)	
		Mate connectors and expose to the following salt mist conditions. Upon completion of the exposure period, salt deposits shall be removed by a gentle wash or dip in running water and dried naturally, after which the specified measurements shall be performed.	
		The specimens shall be suspended from the top using waxed twine, string or nylon thread.	
		The test only define the plating area, without plating area (as copper cross section) will not be defined.	
		(EIA 364-26B / MIL-STD-202 Method 101)	

10. AMBIENT TEMPERATURE RANGE: -25 to +85°C



ENGINEERING DEPT.		PRODUCT SPECIFICATION	SPEC.NO.:	SPCI090C
REVISIONS	ECNT120150	For CI46 Series Connector System	PAGE:	5/6

11. Mating and Un-mating Force:

PIN No.	Mating(kgf max.)	Un-mating(kgf)min.)
2	1.50	0.10
3	1.80	0.20
4	2.40	0.30
5	2.80	0.30
6	3.00	0.40
7	3.20	0.40
8	3.40	0.50
9	3.60	0.50
10	3.80	0.60
11	4.00	0.60
12	4.20	0.70
13	4.40	0.70
14	4.60	0.80
15	4.80	0.80
16	5.00	0.90
17	5.20	0.90
18	5.50	1.00
19	5.70	1.00
20	6.50	1.10

ENGINEERING DEPT.

PRODUCT SPECIFICATION

SPEC.NO.: SPCI090C

REVISIONS 1

ECNT120150

For CI46 Series Connector System

PAGE: 6/6

12. Recommended IR Reflow Temperature Profile:

12.1 Using Lead-Free Solder Paste

