


$A = 1.00 * \text{No. of Spaces}$
 $B = A + 7.7$
 $C = A + 2.1$

③ * Available 8,10,18,24,30 circuits

Lead Free Process Halogen-Free RoHS compliant


④					DATE	UNIT: mm / inch
③	Karen	3/31-18'	ECNT118056	2018.04.12	DRAWN BY: Karen	TOLERANCE UNLESS OTHERWISE SPECIFIED
②	Enya	4/2-14'	ECNT114047/ECRB114009	ISSUED	ENGINEER: Sun	.X ± 0.20/.008 X' ± 1'
①	Clark	12/15-11	ECN11274		CHECKED BY: Eisley	.XX ± 0.10/.004 .X ±
SYM	NAME	DATE	REVISIONS		APPROVED BY: Eisley	.XXX ± 0.05/.002 .XX ±



TITLE: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR
 MATERIAL:
 FINISH:



DRAWING NO.	CF1105SC	PART NO.	CF11**2D0*A-10-NH
SCALE	4 / 1	SHEET	1 OF 3



Material :

- * Body : High temperature plastic UL 94V-0
Color Nature
- * Cover : High temperature plastic UL 94V-0
Color Black
- * Contact : Phosphor Bronze
- * Fixed tab : Brass with Tin Plated

Ordering Code

CF11 30 2 D 0 * A - 10 - NH
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

- ① Series No.
- ② No. of Circuits: 8,10,18,24,30 Pin
- ③ Plating code:
2= Gold flash over Nickel
- ④ Contact style: D= Downside contact
- ⑤ Color: 0= Nature
- ⑥ Other option: R= Tape & Reel
T= Tube Packing
- ⑦ A= Special type
- ⑧ 10= Pitch 1.00mm
- ⑨ NH= For Leadfree IR Processes
and Halogen-Free

Accommodated FFC/FPC

Lead Free Process

Halogen-Free

RoHS compliant

SYM	NAME	DATE	REVISIONS	APPROVED BY:	DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR	MATERIAL:	FINISH:	DRAWING NO.	SCALE	PART NO.	SHEET	OF	3
4															
3	Karen	3/31-18'	ECNT118056	DRAWN BY:	Karen	4/2-18'	TOLERANCE UNLESS OTHERWISE SPECIFIED								
2	Enya	4/2-14'	ECNT114047/ECRB114009	ENGINEER:	Sun	4/09-18'	.X ± 0.20/.008	X' ± '1							
1	Clark	12/15-11	ECN11274	CHECKED BY:	Eisley	4/11-18'	.XX ± 0.10/.004	.X ±							
				APPROVED BY:	Eisley	4/11-18'	.XXX ± 0.05/.002	.XX ±							

CVILUX CORP
2018.04.12
ISSUED

瀚荃股份有限公司
CviLux Corporation

DRAWING NO. CF1105SC PART NO. CF11**2D0*A-10-NH
SCALE 4 / 1 SHEET 2 OF 3

