





Circuits	Dimension			
	A	B	C	D
3	2.00(.079)	6.20(.244)	5.08(.200)	4.00(.157)
4	3.00(.118)	7.20(.283)	6.08(.239)	5.00(.197)
5	4.00(.157)	8.20(.323)	7.08(.279)	6.00(.236)
6	5.00(.197)	9.20(.362)	8.08(.318)	7.00(.276)
7	6.00(.236)	10.20(.402)	9.08(.357)	8.00(.315)
8	7.00(.276)	11.20(.441)	10.08(.397)	9.00(.354)
9	8.00(.315)	12.20(.480)	11.08(.436)	10.00(.394)
10	9.00(.354)	13.20(.520)	12.08(.476)	11.00(.433)
11	10.00(.394)	14.20(.559)	13.08(.515)	12.00(.472)
12	11.00(.433)	15.20(.598)	14.08(.554)	13.00(.512)
13	12.00(.472)	16.20(.638)	15.08(.594)	14.00(.551)
14	13.00(.512)	17.20(.677)	16.08(.633)	15.00(.591)
15	14.00(.551)	18.20(.717)	17.08(.672)	16.00(.630)
16	15.00(.591)	19.20(.756)	18.08(.712)	17.00(.669)
17	16.00(.630)	20.20(.795)	19.08(.751)	18.00(.709)
18	17.00(.669)	21.20(.835)	20.08(.791)	19.00(.748)



Recommended PCB Layout






APPLICABLE FPC/FCC  
(THICKNESS: 0.40±0.03)



Halogen-Free    Lead Free Process    RoHS compliant

4						UNIT: mm / inch	TITLE: 1.00mm(.039") SMT ZIF FFC/FPC CONNECTOR	瀚荃股份有限公司 CviLux Corporation
3						TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	
2	Ken	8/26-16'	ECNT116193/ECRH116038	DRAWN BY: Ken	9/01-16'	.X ± 0.20/.008    X' ± r'	FINISH:	DRAWING NO. CF6502SB    PART NO. CF65***MORA-10-NH
1	Clark	02/17-16'	ECNT116033	ENGINEER: Sun	9/02-16'	.XX ± 0.15/.006    .X' ±		SCALE 5 / 1
SYM	NAME	DATE	REVISIONS	CHECKED BY: Eisley	9/02-16'	.XXX ±    .XX' ±		SHEET 2 OF 3
				APPROVED BY: Eisley	9/02-16'			



NOTE :

- \* Reel Material : Corrugated Paper
- \* Carrier Material : Clear, Conductive Polystyrene Alloy
- \* Cover Tape Material : Polyester
- \* Cover Tape Peel Strength : 0.1N – 1.3N
- \* Carrier camber is within 1mm in 100mm
- \* All dimensions meet EIA-481-2 & EIA-481-3 requirements.
- \* Quantity : 900 PCS/Reel

Circuits	Dimension					Packing (Reel/Caton)
	E	F	W1	W2	W3	
8	24.0(.945)	--	24.5(.965)	30.5(1.200)	24.5(.965)	9

RoHS Compliant

**CIVILUX CORP**  
**2016.09.08**  
**ISSUED**

4					DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") SMT ZIF FFC/FPC CONNECTOR	瀚荃股份有限公司 CviLux Corporation
3				DRAWN BY: Ken	9/01-16'	TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	
2	Ken	8/26-16'	ECNT116193/ECRH116038	ENGINEER: Sun	9/02-16'	.X ± 0.20/.008 X' ± r	FINISH:	DRAWING NO. CF6502SB PART NO. CF65***MORA-10-NH
1	Clark	02/17-16'	ECNT116033	CHECKED BY: Easley	9/02-16'	.XX ± 0.15/.006 X' ±		SCALE 5 / 1 SHEET 3 OF 3
SYM	NAME	DATE	REVISIONS	APPROVED BY: Easley	9/02-16'	.XXX ± XX' ±		