



- Closed End type
- Without Polarizing Tabs



- Closed End type
- With Polarizing Tabs



Features:

- Housing material: Nylon 66 UL 94V-2
- Terminal material: phosphor bronze
- Wire range: AWG #22 ~ #28 (Flat ribbon wire)

Ordering Code:

CID2 ** S 1 * * *
 ① ② ③ ④ ⑤ ⑥ ⑦


- ① Series No.
- ② Contact: 02 to 24
- ③ S= Housing
- ④ Plating code:
1= Tin plated over Nickel
- ⑤ Type:
A= Closed End type
B= Feed-Thru type
- ⑥ Color option:
0= Color white, For AWG #24
3= Color red, For AWG #22
6= Color green, For AWG #28
7= Color blue, For AWG #26
- ⑦ Other option:
0= W/O Polarizing Tabs
P= With Polarizing Tabs

A=2.54 x No.of Spaces


B= A + 2.54

* Available in 2 through 24 circuits


- Feed-Thru type
- With Polarizing Tabs



- Feed-Thru type
- Without Polarizing Tabs



RoHS Compliant

④					DATE	UNIT: mm / inch	TITLE: 2.54mm Pitch IDC Housing	 瀚荃股份有限公司 CviLux Corporation
③					DRAWN BY: Karen 12/24-14'	TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	
②					ENGINEER: Sun 12/25-14'	.X ± 0.40/.016 X' ± 1'	FINISH:	DRAWING NO. CID201SA PART NO. CID2**S1***
①					CHECKED BY: Eislely 12/29-14'	.XX ± 0.25/.009 .X' ±		SCALE 2 / 1 SHEET 1 OF 1
SYM	NAME	DATE	REVISIONS	APPROVED BY: Eislely 12/29-14'		.XXX ± 0.08/.003 .XX' ±		

CVILUX CORP
 2015.01.16
 ISSUED