



NO. of CONTACTS	DIMENSIONS			
	A	B	C	D
4	1.50	4.70	3.55	4.15
5	2.00	5.20	4.05	4.65
6	2.50	5.70	4.55	5.15
7	3.00	6.20	5.05	5.65
8	3.50	6.70	5.55	6.15
9	4.00	7.20	6.05	6.65
10	4.50	7.70	6.55	7.15
11	5.00	8.20	7.05	7.65
12	5.50	8.70	7.55	8.15
13	6.00	9.20	8.05	8.65
14	6.50	9.70	8.55	9.15
15	7.00	10.20	9.05	9.65
16	7.50	10.70	9.55	10.15
17	8.00	11.20	10.05	10.65
18	8.50	11.70	10.55	11.15
19	9.00	12.20	11.05	11.65
20	9.50	12.70	11.55	12.15
21	10.00	13.20	12.05	12.65
22	10.50	13.70	12.55	13.15
23	11.00	14.20	13.05	13.65
24	11.50	14.70	13.55	14.15
25	12.00	15.20	14.05	14.65
26	12.50	15.70	14.55	15.15
27	13.00	16.20	15.05	15.65
28	13.50	16.70	15.55	16.15
29	14.00	17.20	16.05	16.65
30	14.50	17.70	16.55	17.15



Halogen-Free
Lead Free Process
RoHS Compliant

4						UNIT: mm / inch	TITLE: 0.50mm(.020") ZIF FFC/FPC BACK FLIP CONNECTOR	 瀚荃股份有限公司 CviLux Corporation
3						TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	
2	Sun	12/23-21	ECNT121317	CVILUX 2021.12.30 ISSUED	DRAWN BY: Sun	12/23-21'	.X ± 0.20/.008 X' ±	DRAWING NO. CF8701SC
1	Eric	9/14-21	ECRH121050/ECNT121238		ENGINEER: Sun	12/23-21'	.XX ± 0.15/.006 X' ± 1'	PART NO. CF87***H0R0-05-NH CF87***H0G0-05-NH
SYM	NAME	DATE	REVISIONS		CHECKED BY: Eisley	12/24-21'	.XXX ± XX' ±	SCALE 10 / 1
					APPROVED BY: Eisley	12/24-21'		SHEET 2 OF 3

