



瀚萃股份有限公司
CviLux Corporation
PACKING STANDARD

製訂日期：2014/11/06

SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CH8102*H*00	2	C	PACK-PBC058-C	25.0	16.0	0.012	2000	PACK-PTC069/70-C/H	32.00	25.00	6.00	4000	PACK-CTC002-C/H	34.50	26.00	25.30	16000	
CH8104*H*00	4	C	PACK-PBC058-C	25.0	16.0	0.012	2000	PACK-PTC069/70-C/H	32.00	25.00	6.00	4000	PACK-CTC002-C/H	34.50	26.00	25.30	16000	
CH8106*H*00	6	C	PACK-PBC058-C	25.0	16.0	0.012	1000	PACK-PTC069/70-C/H	32.00	25.00	6.00	2000	PACK-CTC002-C/H	34.50	26.00	25.30	8000	
CH8108*H*00	8	C	PACK-PBC058-C	25.0	16.0	0.012	1000	PACK-PTC069/70-C/H	32.00	25.00	6.00	2000	PACK-CTC002-C/H	34.50	26.00	25.30	8000	
CH8110*H*00	10	C	PACK-PBC058-C	25.0	16.0	0.012	1000	PACK-PTC069/70-C/H	32.00	25.00	6.00	2000	PACK-CTC002-C/H	34.50	26.00	25.30	8000	
CH8112*H*00	12	C	PACK-PBC058-C	25.0	16.0	0.012	1000	PACK-PTC069/70-C/H	32.00	25.00	6.00	2000	PACK-CTC002-C/H	34.50	26.00	25.30	8000	
CH8114*H*00	14	C	PACK-PBC058-C	25.0	16.0	0.012	500	PACK-PTC069/70-C/H	32.00	25.00	6.00	1000	PACK-CTC002-C/H	34.50	26.00	25.30	4000	
CH8116*H*00	16	C	PACK-PBC058-C	25.0	16.0	0.012	500	PACK-PTC069/70-C/H	32.00	25.00	6.00	1000	PACK-CTC002-C/H	34.50	26.00	25.30	4000	
CH8118*H*00	18	C	PACK-PBC058-C	25.0	16.0	0.012	250	PACK-PTC069/70-C/H	32.00	25.00	6.00	500	PACK-CTC002-C/H	34.50	26.00	25.30	2000	
CH8120*H*00	20	C	PACK-PBC058-C	25.0	16.0	0.012	250	PACK-PTC069/70-C/H	32.00	25.00	6.00	500	PACK-CTC002-C/H	34.50	26.00	25.30	2000	
CH8122*H*00	22	C	PACK-PBC058-C	25.0	16.0	0.012	250	PACK-PTC069/70-C/H	32.00	25.00	6.00	500	PACK-CTC002-C/H	34.50	26.00	25.30	2000	
CH8124*H*00	24	C	PACK-PBC058-C	25.0	16.0	0.012	250	PACK-PTC069/70-C/H	32.00	25.00	6.00	500	PACK-CTC002-C/H	34.50	26.00	25.30	2000	
CH8126*H*00	26	C	PACK-PBC058-C	25.0	16.0	0.012	250	PACK-PTC069/70-C/H	32.00	25.00	6.00	500	PACK-CTC002-C/H	34.50	26.00	25.30	2000	
CH8128*H*00	28	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8130*H*00	30	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8132*H*00	32	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8134*H*00	34	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8136*H*00	36	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8138*H*00	38	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8140*H*00	40	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8142*H*00	42	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8144*H*00	44	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8146*H*00	46	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8148*H*00	48	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8150*H*00	50	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8152*H*00	52	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8154*H*00	54	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8156*H*00	56	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8158*H*00	58	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8160*H*00	60	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8162*H*00	62	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8164*H*00	64	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8166*H*00	66	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	

PACKING METHOD (包裝方式):

1 PVC BAG (塑膠袋)
SIZE = L * W

2 TUBE (塑膠管)
SIZE = L * W * H

3 PVC TRAY (塑膠盒)
SIZE = L * W * H

4 REEL (紙盤)
SIZE = D * W

5 BOX (內紙盒)
SIZE = L * W * H

6 INSIDE CARTON (內箱)
SIZE = L * W * H

7 OUTSIDE CARTON (外箱)
SIZE = L * W * H

PACKING METHOD CODE (包裝方式代碼):








- A = 1 → 7
- B = 2 → 7
- C = 1+3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7



SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CH8168*H*00	68	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8170*H*00	70	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8172*H*00	72	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8174*H*00	74	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8176*H*00	76	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8178*H*00	78	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	
CH8180*H*00	80	C	PACK-PBC058-C	25.0	16.0	0.012	200	PACK-PTC069/70-C/H	32.00	25.00	6.00	400	PACK-CTC002-C/H	34.50	26.00	25.30	1600	

注 : CH81***H*00/-NH/-LF 依以上相同PIN數包裝量包裝。(包裝時,先放海綿墊→放產品→再放海綿墊)

PACKING METHOD (包裝方式) :

<p>1 PVC BAG (塑膠袋) SIZE = L * W</p> 	<p>2 TUBE (塑膠管) SIZE = L * W * H</p> 	<p>3 PVC TRAY (塑膠盒) SIZE = L * W * H</p> 	<p>4 REEL (紙盤) SIZE = D * W</p> 	<p>5 BOX (內紙盒) SIZE = L * W * H</p> 	<p>6 INSIDE CARTON (內箱) SIZE = L * W * H</p> 	<p>7 OUTSIDE CARTON (外箱) SIZE = L * W * H</p> 
<p>PACKING METHOD CODE (包裝方式代碼):</p> <ul style="list-style-type: none"> <input type="checkbox"/> A = 1 → 7 <input type="checkbox"/> B = 2 → 7 <input checked="" type="checkbox"/> C = 1+3 → 7 <input type="checkbox"/> D = 4 → 7 <input type="checkbox"/> E = 5 → 7 <input type="checkbox"/> F = 1 → 6 → 7 <input type="checkbox"/> G = 2 → 6 → 7 <input type="checkbox"/> H = 3 → 6 → 7 						

文件履歷表

文件編號	CI15H811				
文件名稱	PACKING STANDARD				
內容變更敘述					
版本	因內包裝增加海棉墊,變更包裝數				發行日期
14	簽呈編號 : XQMS021400106				2014.11.11
核准	Jackal	審核	Mavis	製表	伍曉紅
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	