



瀚荃股份有限公司  
CviLux Corporation  
PACKING STANDARD

製訂日期：2009/7/28

SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W. REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CH8104*M*00-00	4	G	PACK- TBC031-C	60.0	0.79	1.24	118	PACK-IBC014-C	61.7	6.0	10.2	3540	PACK-CTC011-C	63.00	15.00	23.00	14160	8.43
CH8106*M*00-00	6	G	PACK- TBC031-C	60.0	0.79	1.24	78	PACK-IBC014-C	61.7	6.0	10.2	2340	PACK-CTC011-C	63.00	15.00	23.00	9360	8.38
CH8108*M*00-00	8	G	PACK- TBC031-C	60.0	0.79	1.24	57	PACK-IBC014-C	61.7	6.0	10.2	1710	PACK-CTC011-C	63.00	15.00	23.00	6840	8.32
CH8110*M*00-00	10	G	PACK- TBC031-C	60.0	0.79	1.24	46	PACK-IBC014-C	61.7	6.0	10.2	1380	PACK-CTC011-C	63.00	15.00	23.00	5520	8.36
CH8112*M*00-00	12	G	PACK- TBC031-C	60.0	0.79	1.24	38	PACK-IBC014-C	61.7	6.0	10.2	1140	PACK-CTC011-C	63.00	15.00	23.00	4560	8.32
CH8114*M*00-00	14	G	PACK- TBC031-C	60.0	0.79	1.24	33	PACK-IBC014-C	61.7	6.0	10.2	990	PACK-CTC011-C	63.00	15.00	23.00	3960	8.36
CH8116*M*00-00	16	G	PACK- TBC031-C	60.0	0.79	1.24	28	PACK-IBC014-C	61.7	6.0	10.2	840	PACK-CTC011-C	63.00	15.00	23.00	3360	8.25
CH8118*M*00-00	18	G	PACK- TBC031-C	60.0	0.79	1.24	25	PACK-IBC014-C	61.7	6.0	10.2	750	PACK-CTC011-C	63.00	15.00	23.00	3000	8.27
CH8120*M*00-00	20	G	PACK- TBC031-C	60.0	0.79	1.24	23	PACK-IBC014-C	61.7	6.0	10.2	690	PACK-CTC011-C	63.00	15.00	23.00	2760	8.34
CH8122*M*00-00	22	G	PACK- TBC031-C	60.0	0.79	1.24	20	PACK-IBC014-C	61.7	6.0	10.2	600	PACK-CTC011-C	63.00	15.00	23.00	2400	8.19
CH8124*M*00-00	24	G	PACK- TBC031-C	60.0	0.79	1.24	19	PACK-IBC014-C	61.7	6.0	10.2	570	PACK-CTC011-C	63.00	15.00	23.00	2280	8.31
CH8126*M*00-00	26	G	PACK- TBC031-C	60.0	0.79	1.24	17	PACK-IBC014-C	61.7	6.0	10.2	510	PACK-CTC011-C	63.00	15.00	23.00	2040	8.20
CH8128*M*00-00	28	G	PACK- TBC031-C	60.0	0.79	1.24	16	PACK-IBC014-C	61.7	6.0	10.2	480	PACK-CTC011-C	63.00	15.00	23.00	1920	8.25
CH8130*M*00-00	30	G	PACK- TBC031-C	60.0	0.79	1.24	15	PACK-IBC014-C	61.7	6.0	10.2	450	PACK-CTC011-C	63.00	15.00	23.00	1800	8.26
CH8132*M*00-00	32	G	PACK- TBC031-C	60.0	0.79	1.24	14	PACK-IBC014-C	61.7	6.0	10.2	420	PACK-CTC011-C	63.00	15.00	23.00	1680	8.25
CH8134*M*00-00	34	G	PACK- TBC031-C	60.0	0.79	1.24	13	PACK-IBC014-C	61.7	6.0	10.2	390	PACK-CTC011-C	63.00	15.00	23.00	1560	8.21
CH8136*M*00-00	36	G	PACK- TBC031-C	60.0	0.79	1.24	12	PACK-IBC014-C	61.7	6.0	10.2	360	PACK-CTC011-C	63.00	15.00	23.00	1440	8.13
CH8138*M*00-00	38	G	PACK- TBC031-C	60.0	0.79	1.24	12	PACK-IBC014-C	61.7	6.0	10.2	360	PACK-CTC011-C	63.00	15.00	23.00	1440	8.31
CH8140*M*00-00	40	G	PACK- TBC031-C	60.0	0.79	1.24	11	PACK-IBC014-C	61.7	6.0	10.2	330	PACK-CTC011-C	63.00	15.00	23.00	1320	8.19
CH8142*M*00-00	42	G	PACK- TBC031-C	60.0	0.79	1.24	11	PACK-IBC014-C	61.7	6.0	10.2	330	PACK-CTC011-C	63.00	15.00	23.00	1320	8.35
CH8144*M*00-00	44	G	PACK- TBC031-C	60.0	0.79	1.24	10	PACK-IBC014-C	61.7	6.0	10.2	300	PACK-CTC011-C	63.00	15.00	23.00	1200	8.19
CH8146*M*00-00	46	G	PACK- TBC031-C	60.0	0.79	1.24	10	PACK-IBC014-C	61.7	6.0	10.2	300	PACK-CTC011-C	63.00	15.00	23.00	1200	8.34
CH8148*M*00-00	48	G	PACK- TBC031-C	60.0	0.79	1.24	9	PACK-IBC014-C	61.7	6.0	10.2	270	PACK-CTC011-C	63.00	15.00	23.00	1080	8.13
CH8150*M*00-00	50	G	PACK- TBC031-C	60.0	0.79	1.24	9	PACK-IBC014-C	61.7	6.0	10.2	270	PACK-CTC011-C	63.00	15.00	23.00	1080	8.26
CH8152*M*00-00	52	G	PACK- TBC031-C	60.0	0.79	1.24	8	PACK-IBC014-C	61.7	6.0	10.2	240	PACK-CTC011-C	63.00	15.00	23.00	960	8.01
CH8154*M*00-00	54	G	PACK- TBC031-C	60.0	0.79	1.24	8	PACK-IBC014-C	61.7	6.0	10.2	240	PACK-CTC011-C	63.00	15.00	23.00	960	8.12
CH8156*M*00-00	56	G	PACK- TBC031-C	60.0	0.79	1.24	8	PACK-IBC014-C	61.7	6.0	10.2	240	PACK-CTC011-C	63.00	15.00	23.00	960	8.25

PACKING METHOD (包裝方式) :

1 PVC BAG (塑膠袋)  
SIZE = L \* W

2 TUBE (塑膠管)  
SIZE = L \* W \* H

3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H

4 REEL (紙盤)  
SIZE = D \* W

5 BOX (內紙盒)  
SIZE = L \* W \* H

6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H

7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H

PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = (2+1) → 6 → 7
- H = 3 → 6 → 7




瀚荃股份有限公司  
CviLux Corporation  
PACKING STANDARD


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CH8158*M*00-00	58	G	PACK- TBC031-C	60.0	0.90	1.60	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	7.94
CH8160*M*00-00	60	G	PACK- TBC031-C	60.0	0.90	1.60	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	8.04
CH8162*M*00-00	62	G	PACK- TBC031-C	60.0	0.90	1.60	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	8.15
CH8164*M*00-00	64	G	PACK- TBC031-C	60.0	0.90	1.60	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	8.25
CH8166*M*00-00	66	G	PACK- TBC031-C	60.0	0.90	1.60	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	7.87
CH8168*M*00-00	68	G	PACK- TBC031-C	60.0	0.90	1.60	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	7.96
CH8170*M*00-00	70	G	PACK- TBC031-C	60.0	0.90	1.60	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	8.04
CH8172*M*00-00	72	G	PACK- TBC031-C	60.0	0.90	1.60	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	8.13
CH8174*M*00-00	74	G	PACK- TBC031-C	60.0	0.90	1.60	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	8.22
CH8176*M*00-00	76	G	PACK- TBC031-C	60.0	0.90	1.60	5	PACK-IBC014-C	61.7	6.0	10.2	150	PACK-CTC011-C	63.00	15.00	23.00	600	7.75
CH8178*M*00-00	78	G	PACK- TBC031-C	60.0	0.90	1.60	5	PACK-IBC014-C	61.7	6.0	10.2	150	PACK-CTC011-C	63.00	15.00	23.00	600	7.82
CH8180*M*00-00	80	G	PACK- TBC031-C	60.0	0.90	1.60	5	PACK-IBC014-C	61.7	6.0	10.2	150	PACK-CTC011-C	63.00	15.00	23.00	600	7.90
CH8104*M***-00	4	G	PACK- TBC105-C	60.0	0.90	1.40	118	PACK-IBC014-C	61.7	6.0	10.2	3540	PACK-CTC011-C	63.00	15.00	23.00	14160	
CH8106*M***-00	6	G	PACK- TBC105-C	60.0	0.90	1.40	78	PACK-IBC014-C	61.7	6.0	10.2	2340	PACK-CTC011-C	63.00	15.00	23.00	9360	
CH8108*M***-00	8	G	PACK- TBC105-C	60.0	0.90	1.40	57	PACK-IBC014-C	61.7	6.0	10.2	1710	PACK-CTC011-C	63.00	15.00	23.00	6840	
CH8110*M***-00	10	G	PACK- TBC105-C	60.0	0.90	1.40	46	PACK-IBC014-C	61.7	6.0	10.2	1380	PACK-CTC011-C	63.00	15.00	23.00	5520	
CH8112*M***-00	12	G	PACK- TBC105-C	60.0	0.90	1.40	38	PACK-IBC014-C	61.7	6.0	10.2	1140	PACK-CTC011-C	63.00	15.00	23.00	4560	
CH8114*M***-00	14	G	PACK- TBC105-C	60.0	0.90	1.40	33	PACK-IBC014-C	61.7	6.0	10.2	990	PACK-CTC011-C	63.00	15.00	23.00	3960	
CH8116*M***-00	16	G	PACK- TBC105-C	60.0	0.90	1.40	28	PACK-IBC014-C	61.7	6.0	10.2	840	PACK-CTC011-C	63.00	15.00	23.00	3360	
CH8118*M***-00	18	G	PACK- TBC105-C	60.0	0.90	1.40	25	PACK-IBC014-C	61.7	6.0	10.2	750	PACK-CTC011-C	63.00	15.00	23.00	3000	
CH8120*M***-00	20	G	PACK- TBC105-C	60.0	0.90	1.40	23	PACK-IBC014-C	61.7	6.0	10.2	690	PACK-CTC011-C	63.00	15.00	23.00	2760	
CH8122*M***-00	22	G	PACK- TBC105-C	60.0	0.90	1.40	20	PACK-IBC014-C	61.7	6.0	10.2	600	PACK-CTC011-C	63.00	15.00	23.00	2400	
CH8124*M***-00	24	G	PACK- TBC105-C	60.0	0.90	1.40	19	PACK-IBC014-C	61.7	6.0	10.2	570	PACK-CTC011-C	63.00	15.00	23.00	2280	
CH8126*M***-00	26	G	PACK- TBC105-C	60.0	0.90	1.40	17	PACK-IBC014-C	61.7	6.0	10.2	510	PACK-CTC011-C	63.00	15.00	23.00	2040	
CH8128*M***-00	28	G	PACK- TBC105-C	60.0	0.90	1.40	16	PACK-IBC014-C	61.7	6.0	10.2	480	PACK-CTC011-C	63.00	15.00	23.00	1920	
CH8130*M***-00	30	G	PACK- TBC105-C	60.0	0.90	1.40	15	PACK-IBC014-C	61.7	6.0	10.2	450	PACK-CTC011-C	63.00	15.00	23.00	1800	

PACKING METHOD (包裝方式) :


1 PVC BAG  
(塑膠袋)  
SIZE = L \* W




2 TUBE  
(塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY  
(塑膠盒)  
SIZE = L \* W \* H




4 REEL  
(紙盤)  
SIZE = D \* W




5 BOX  
(內紙盒)  
SIZE = L \* W \* H



6 INSIDE CARTON  
(內箱)  
SIZE = L \* W \* H



7 OUTSIDE CARTON  
(外箱)  
SIZE = L \* W \* H



PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = (2+1) → 6 → 7
- H = 3 → 6 → 7




瀚荃股份有限公司  
CviLux Corporation  
PACKING STANDARD

SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CH8132*M***-00	32	G	PACK- TBC105-C	60.0	0.90	1.40	14	PACK-IBC014-C	61.7	6.0	10.2	420	PACK-CTC011-C	63.00	15.00	23.00	1680	
CH8134*M***-00	34	G	PACK- TBC105-C	60.0	0.90	1.40	13	PACK-IBC014-C	61.7	6.0	10.2	390	PACK-CTC011-C	63.00	15.00	23.00	1560	
CH8136*M***-00	36	G	PACK- TBC105-C	60.0	0.90	1.40	12	PACK-IBC014-C	61.7	6.0	10.2	360	PACK-CTC011-C	63.00	15.00	23.00	1440	
CH8138*M***-00	38	G	PACK- TBC105-C	60.0	0.90	1.40	12	PACK-IBC014-C	61.7	6.0	10.2	360	PACK-CTC011-C	63.00	15.00	23.00	1440	
CH8140*M***-00	40	G	PACK- TBC105-C	60.0	0.90	1.40	11	PACK-IBC014-C	61.7	6.0	10.2	330	PACK-CTC011-C	63.00	15.00	23.00	1320	
CH8142*M***-00	42	G	PACK- TBC105-C	60.0	0.90	1.40	11	PACK-IBC014-C	61.7	6.0	10.2	330	PACK-CTC011-C	63.00	15.00	23.00	1320	
CH8144*M***-00	44	G	PACK- TBC105-C	60.0	0.90	1.40	10	PACK-IBC014-C	61.7	6.0	10.2	300	PACK-CTC011-C	63.00	15.00	23.00	1200	
CH8146*M***-00	46	G	PACK- TBC105-C	60.0	0.90	1.40	10	PACK-IBC014-C	61.7	6.0	10.2	300	PACK-CTC011-C	63.00	15.00	23.00	1200	
CH8148*M***-00	48	G	PACK- TBC105-C	60.0	0.90	1.40	9	PACK-IBC014-C	61.7	6.0	10.2	270	PACK-CTC011-C	63.00	15.00	23.00	1080	
CH8150*M***-00	50	G	PACK- TBC105-C	60.0	0.90	1.40	9	PACK-IBC014-C	61.7	6.0	10.2	270	PACK-CTC011-C	63.00	15.00	23.00	1080	
CH8152*M***-00	52	G	PACK- TBC105-C	60.0	0.90	1.40	8	PACK-IBC014-C	61.7	6.0	10.2	240	PACK-CTC011-C	63.00	15.00	23.00	960	
CH8154*M***-00	54	G	PACK- TBC105-C	60.0	0.90	1.40	8	PACK-IBC014-C	61.7	6.0	10.2	240	PACK-CTC011-C	63.00	15.00	23.00	960	
CH8156*M***-00	56	G	PACK- TBC105-C	60.0	0.90	1.40	8	PACK-IBC014-C	61.7	6.0	10.2	240	PACK-CTC011-C	63.00	15.00	23.00	960	
CH8158*M***-00	58	G	PACK- TBC105-C	60.0	0.90	1.40	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	
CH8160*M***-00	60	G	PACK- TBC105-C	60.0	0.90	1.40	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	
CH8162*M***-00	62	G	PACK- TBC105-C	60.0	0.90	1.40	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	
CH8164*M***-00	64	G	PACK- TBC105-C	60.0	0.90	1.40	7	PACK-IBC014-C	61.7	6.0	10.2	210	PACK-CTC011-C	63.00	15.00	23.00	840	
CH8166*M***-00	66	G	PACK- TBC105-C	60.0	0.90	1.40	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	
CH8168*M***-00	68	G	PACK- TBC105-C	60.0	0.90	1.40	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	
CH8170*M***-00	70	G	PACK- TBC105-C	60.0	0.90	1.40	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	
CH8172*M***-00	72	G	PACK- TBC105-C	60.0	0.90	1.40	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	
CH8174*M***-00	74	G	PACK- TBC105-C	60.0	0.90	1.40	6	PACK-IBC014-C	61.7	6.0	10.2	180	PACK-CTC011-C	63.00	15.00	23.00	720	
CH8176*M***-00	76	G	PACK- TBC105-C	60.0	0.90	1.40	5	PACK-IBC014-C	61.7	6.0	10.2	150	PACK-CTC011-C	63.00	15.00	23.00	600	
CH8178*M***-00	78	G	PACK- TBC105-C	60.0	0.90	1.40	5	PACK-IBC014-C	61.7	6.0	10.2	150	PACK-CTC011-C	63.00	15.00	23.00	600	
CH8180*M***-00	80	G	PACK- TBC105-C	60.0	0.90	1.40	5	PACK-IBC014-C	61.7	6.0	10.2	150	PACK-CTC011-C	63.00	15.00	23.00	600	


注：CH81\*\*\*M\*01-00、CH81\*\*\*M\*02-00、CH81\*\*\*M\*03-00、CH81\*\*\*M\*04-00、CH81\*\*\*M\*05-00、CH81\*\*\*M\*06-00、CH81\*\*\*M\*07-00、CH81\*\*\*M\*09-00 採用以上相同PIN數包裝。

PACKING METHOD (包裝方式)：


1 PVC BAG (塑膠袋)  
SIZE = L \* W




2 TUBE (塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H




4 REEL (紙盤)  
SIZE = D \* W




5 BOX (內紙盒)  
SIZE = L \* W \* H



6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H



7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H



PACKING METHOD CODE (包裝方式代碼)：

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = (2+1) → 6 → 7
- H = 3 → 6 → 7