


瀚荃股份有限公司
Cvilux Corporation
PACKING STANDARD


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CI0104P*VD*/-LF	4	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	10000	PACK-CTC002-C	34.5	26.0	25.3	20000	9.45
CI0106P*VD*/-LF	6	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	10000	PACK-CTC002-C	34.5	26.0	25.3	20000	9.45
CI0108P*VD*/-LF	8	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	8000	PACK-CTC002-C	34.5	26.0	25.3	16000	8.77
CI0110P*VD*/-LF	10	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	8000	PACK-CTC002-C	34.5	26.0	25.3	16000	8.69
CI0112P*VD*/-LF	12	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	6000	PACK-CTC002-C	34.5	26.0	25.3	12000	8.39
CI0114P*VD*/-LF	14	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	6000	PACK-CTC002-C	34.5	26.0	25.3	12000	8.35
CI0116P*VD*/-LF	16	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	4000	PACK-CTC002-C	34.5	26.0	25.3	8000	8.42
CI0118P*VD*/-LF	18	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	4000	PACK-CTC002-C	34.5	26.0	25.3	8000	7.94
CI0120P*VD*/-LF	20	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	4000	PACK-CTC002-C	34.5	26.0	25.3	8000	6.90
CI0122P*VD*/-LF	22	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.75
CI0124P*VD*/-LF	24	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.44
CI0126P*VD*/-LF	26	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.80
CI0128P*VD*/-LF	28	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.64
CI0130P*VD*/-LF	30	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	2000	PACK-CTC002-C	34.5	26.0	25.3	4000	6.25
CI0132P*VD*/-LF	32	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	2000	PACK-CTC002-C	34.5	26.0	25.3	4000	5.79
CI0134P*VD*/-LF	34	F	PACK-PBC002-C	29.0	23.0	0.08	250	PACK-IBC006-C	31.8	24.8	11.2	1750	PACK-CTC002-C	34.5	26.0	25.3	3500	6.30
注:CI01**P*VD0、CI01**P*VD1、CI01**P*VD9、CI01**P*VDE、CI01**P*VDK、CI01**P*VDL、CI01**P*V*/-NH、CI01**P*VDP/-LF依以上相同PIN數包裝。																		
CI0102P*VR0-LF	2	D	PACK-CRCB360-C	-	24.0	-	500	PACK-RLCB01-C	-	24.5	-	500	PACK-CTC034-C	35.0	35.0	32.0	4500	
CI0104P*VR0-LF	4	D	PACK-CRCB313-C	-	24.0	-	500	PACK-RLCB01-C	-	24.5	-	500	PACK-CTC034-C	35.0	35.0	32.0	4500	
CI0105P*VR0-LF	5	D	PACK-CRCB263-C	-	24.0	-	500	PACK-RLCB01-C	-	24.5	-	500	PACK-CTC034-C	35.0	35.0	32.0	4500	
CI0106P*VR0-LF	6	D	PACK-CRCB264-C	-	24.0	-	500	PACK-RLCB01-C	-	24.5	-	500	PACK-CTC034-C	35.0	35.0	32.0	4500	
CI0102P*VRB-NH	2	D	PACK-CRCB360-C	-	24.0	-	500	PACK-RLCB01-C	-	24.5	-	500	PACK-CTC034-C	35.0	35.0	32.0	4500	
CI0104P*VRA/B-NH	4	D	PACK-CRCB257-C	-	24.0	-	600	PACK-RLCB01-C	-	24.5	-	600	PACK-CTC034-C	35.0	35.0	32.0	5400	
CI0105P*VRB-NH	5	D	PACK-CRCB276-C	-	24.0	-	600	PACK-RLCB01-C	-	24.5	-	600	PACK-CTC034-C	35.0	35.0	32.0	5400	
CI0108P*VDZ-NH	8	D	PACK-CRCB334-C	-	24.0	-	600	PACK-RLCB01-C	-	24.5	-	600	PACK-CTC034-C	35.0	35.0	32.0	5400	
CI0115P*VRD-NH	15	D	PACK-CRCE119-C	-	56.0	-	600	PACK-RLCE01-C	-	56.5	-	600	PACK-CTC034-C	35.0	35.0	32.0	2400	
CI0116P*VRB-NH	16	D	PACK-CRCE96-C	-	56.0	-	600	PACK-RLCE01-C	-	56.5	-	600	PACK-CTC034-C	35.0	35.0	32.0	2400	
CI0110P*VDG-R0-NH	10	D	PACK-CRCB331-C	-	24.0	-	500	PACK-RLCB01-C	-	24.5	-	500	PACK-CTC034-C	35.0	35.0	32.0	4500	

PACKING METHOD (包裝方式) :


1 PVC BAG (塑膠袋)
SIZE = L * W




2 TUBE (塑膠管)
SIZE = L * W * H




3 PVC TRAY (塑膠盒)
SIZE = L * W * H




4 REEL (紙盤)
SIZE = D * W




5 BOX (內紙盒)
SIZE = L * W * H



6 INSIDE CARTON (內箱)
SIZE = L * W * H




7 OUTSIDE CARTON (外箱)
SIZE = L * W * H



PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7




瀚荃股份有限公司
CviLux Corporation
PACKING STANDARD

SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CI0104P*VD*/-LF	4	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	10000	PACK-CTC002-C	34.5	26.0	25.3	20000	9.45
CI0106P*VD*/-LF	6	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	10000	PACK-CTC002-C	34.5	26.0	25.3	20000	9.45
CI0108P*VD*/-LF	8	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	8000	PACK-CTC002-C	34.5	26.0	25.3	16000	8.77
CI0110P*VD*/-LF	10	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	6000	PACK-CTC002-C	34.5	26.0	25.3	12000	8.69
CI0112P*VD*/-LF	12	F	PACK-PBC003-C	25.0	16.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	6000	PACK-CTC002-C	34.5	26.0	25.3	12000	8.39
CI0114P*VD*/-LF	14	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	6000	PACK-CTC002-C	34.5	26.0	25.3	12000	8.35
CI0116P*VD*/-LF	16	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	4000	PACK-CTC002-C	34.5	26.0	25.3	8000	8.42
CI0118P*VD*/-LF	18	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	4000	PACK-CTC002-C	34.5	26.0	25.3	8000	7.94
CI0120P*VD*/-LF	20	F	PACK-PBC002-C	29.0	23.0	0.08	1000	PACK-IBC006-C	31.8	24.8	11.2	4000	PACK-CTC002-C	34.5	26.0	25.3	8000	6.90
CI0122P*VD*/-LF	22	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.75
CI0124P*VD*/-LF	24	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.44
CI0126P*VD*/-LF	26	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.80
CI0128P*VD*/-LF	28	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	3000	PACK-CTC002-C	34.5	26.0	25.3	6000	5.64
CI0130P*VD*/-LF	30	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	2000	PACK-CTC002-C	34.5	26.0	25.3	4000	6.25
CI0132P*VD*/-LF	32	F	PACK-PBC002-C	29.0	23.0	0.08	500	PACK-IBC006-C	31.8	24.8	11.2	2000	PACK-CTC002-C	34.5	26.0	25.3	4000	5.79
CI0134P*VD*/-LF	34	F	PACK-PBC002-C	29.0	23.0	0.08	250	PACK-IBC006-C	31.8	24.8	11.2	1750	PACK-CTC002-C	34.5	26.0	25.3	3500	6.30


注:CI01**P*VDH依以上相同PIN數包裝.

PACKING METHOD (包裝方式) :


1 PVC BAG (塑膠袋)
SIZE = L * W




2 TUBE (塑膠管)
SIZE = L * W * H




3 PVC TRAY (塑膠盒)
SIZE = L * W * H




4 REEL (紙盤)
SIZE = D * W




5 BOX (內紙盒)
SIZE = L * W * H



6 INSIDE CARTON (內箱)
SIZE = L * W * H



7 OUTSIDE CARTON (外箱)
SIZE = L * W * H



PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7

文件履歷表

文件編號	CI15I016				
文件名稱	PACKING STANDARD				
內容變更敘述					
版本	新增料號 CI0102P*VRB-NH				發行日期
18	簽呈編號：ISOXR0181512020				2015.12.15
核准	Jackal	審核	Mavis	製表	周燕妮
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	