

PACKING STANDARD


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF3104*D0R*-05-NH	4	D	PACK-CRCA117-NH-H	-	1.60	-	2000	PACK-RLCA01-NH-H	-	1.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	22000	
CF3106*D0R*-05-NH	6	D	PACK-CRCA91-NH-H	-	1.60	-	2000	PACK-RLCA01-NH-H	-	1.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	22000	
CF3108*D0R*-05-NH	8	D	PACK-CRCA91-C/CA90-NH-H	-	1.60	-	2000	PACK-RLCA01-C-/NH-H	-	1.75/1.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	22000	
CF3109*D0R*-05-NH	9	D	PACK-CRCB352-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3110*D0R*-05-NH	10	D	PACK-CRCB338-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3112*D0R*-05-NH	12	D	PACK-CRCB339-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3113*D0R*-05-NH	13	D	PACK-CRCB341-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3114*D0R*-05-NH	14	D	PACK-CRCB346-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3115*D0R*-05-NH	15	D	PACK-CRCB358-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3116*D0R*-05-NH	16	D	PACK-CRCB415-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3117*D0R*-05-NH	17	D	PACK-CRCB567-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3118*D0R*-05-NH	18	D	PACK-CRCB387-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3120*D0R*-05-NH	20	D	PACK-CRCB340-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3122*D0R*-05-NH	22	D	PACK-CRCB618-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3124*D0R*-05-NH	24	D	PACK-CRCB347-NH-H	-	2.40	-	2000	PACK-RLCB01-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3125*D0R*-05-NH	25	D	PACK-CRCC156-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF3126*D0R*-05-NH	26	D	PACK-CRCC174-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF3128*D0R*-05-NH	28	D	PACK-CRCC218-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF3130*D0R*-05-NH	30	D	PACK-CRCC108-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF3132*D0R*-05-NH	32	D	PACK-CRCC159-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF31342D0R*-05-NH	34	D	PACK-CRCD196-NH-H	-	3.20	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF31352D0R*-05-NH	35	D	PACK-CRCD243-NH-H	-	3.20	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3136*D0R*-05-NH	36	D	PACK-CRCD122-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3137*D0R*-05-NH	37	D	PACK-CRCD157-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3139*D0R*-05-NH	39	D	PACK-CRCD198-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3140*D0R*-05-NH	40	D	PACK-CRCD90-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3142*D0R*-05-NH	42	D	PACK-CRCD118-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3145*D0R*-05-NH	45	D	PACK-CRCD104-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3148*D0R*-05-NH	48	D	PACK-CRCD117-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3150*D0R*-05-NH	50	D	PACK-CRCD91-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3154*D0R*-05-NH	54	D	PACK-CRCD102-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3151*D0R*-05-NH	51	D	PACK-CRCD210-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3152*D0R*-05-NH	52	D	PACK-CRCD207-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3155*D0R*-05-NH	55	D	PACK-CRCD92-NH-H	-	4.40	-	2000	PACK-RLCD01-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3160*D0R*-05-NH	60	D	PACK-CRCE30-NH-H	-	5.60	-	2000	PACK-RLCE01-NH-H	-	5.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	8000	
CF3106*D0RG-05-NH	6	D	PACK-CRCA93-NH-H	-	1.60	-	2000	PACK-RLCA01-NH-H	-	1.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	22000	
CF3120*D0*8-05-NH	20	D	PACK-CRCC143-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF3130*D0R6-05-NH	30	D	PACK-CRCC127-NH-H	-	3.20	-	2000	PACK-RLCC01-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	

注：紙盤先用塑膠袋 (PACK-PBC013-H不打孔) 裝好后再裝入外箱,外箱中有紙板(PACK-STC008-H)兩塊、隔板(PACK-STC001-C/H)三個。


CF31***D0RE/F-05-NH不包含在 CF31***D0R*-05-NH內

PACKING METHOD (包裝方式) :


1 PE BAG (塑膠袋)
SIZE = L * W




2 TUBE (塑膠管)
SIZE = L * W * H




3 PVC TRAY (塑膠盒)
SIZE = L * W * H




4 REEL (卷盤)
SIZE = D * W




5 BOX (內紙盒)
SIZE = L * W * H



6 INSIDE CARTON (內箱)
SIZE = L * W * H



7 OUTSIDE CARTON (外箱)
SIZE = L * W * H



PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7



PACKING STANDARD

SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L	D	W			H	L	W			H	L	W		
CF3104*D0R*-10-NH	4	D	PACK-CRCB352-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3105*D0R*-10-NH	5	D	PACK-CRCB607-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3106*D0R*-10-NH	6	D	PACK-CRCB291-C/CB341-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3107*D0R*-10-NH	7	D	PACK-CRCB580-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3108*D0R*-10-NH	8	D	PACK-CRCB292-C/CB342-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3109*D0R*-10-NH	9	D	PACK-CRCB596-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3110*D0R*-10-NH	10	D	PACK-CRCB351-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3112*D0R*-10-NH	12	D	PACK-CRCB518-NH-H	-	2.40	-	2000	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	18000	
CF3114*D0R*-10-NH	14	D	PACK-CRCC150-C/CC94-NH-H	-	3.20	-	2000	PACK-RLCC01-C/-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	
CF3116*D0R*-10-NH	16	D	PACK-CRCD134-NH-H	-	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3118*D0R*-10-NH	18	D	PACK-CRCD251-C/CD87-NH-H	-	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3119*D0R*-10-NH	19	D	PACK-CRCD198-NH-H	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000		
CF3120*D0R*-10-NH	20	D	PACK-CRCD120-NH-H	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000		
CF3121*D0R*-10-NH	21	D	PACK-CRCD208-NH-H	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000		
CF3122*D0R*-10-NH	22	D	PACK-CRCD158-NH-H	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000		
CF3124*D0R*-10-NH	24	D	PACK-CRCD252-C/CD89-NH-H	-	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3125*D0R*-10-NH	25	D	PACK-CRCD163-NH-H	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000		
CF3126*D0R*-10-NH	26	D	PACK-CRCD252-C/CD88-NH-H	-	4.40	-	2000	PACK-RLCD01-C/-NH-H	-	4.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	
CF3128*D0R*-10-NH	28	D	PACK-CRCE48-NH-H	-	5.60	-	2000	PACK-RLCD01-C/-NH-H	-	5.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	8000	
CF3130*D0R*-10-NH	30	D	PACK-CRCE29-NH-H	-	5.60	-	2000	PACK-RLCD01-C/-NH-H	-	5.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	8000	
CF3104*D0RJ-10-NH	4	D	PACK-CRCB565-NH-H	-	2.40	-	1500	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	13500	
CF3104*D0RL-10-NH	4	D	PACK-CRCA193-NH-H	-	1.60	-	2000	PACK-RLCA01-C/-NH-H	-	1.65	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	22000	
CF3106*D0RJ-10-NH	6	D	PACK-CRCB566-NH-H	-	2.40	-	1500	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	13500	
CF3112*D0RJ-10-NH	6	D	PACK-CRCC194-NH-H	-	2.40	-	1500	PACK-RLCB01-C/-NH-H	-	2.45	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	13500	
CF3112*D0R6-10-NH	12	D	PACK-CRCC147-NH-H	-	3.20	-	2000	PACK-RLCC01-C/-NH-H	-	3.25	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	

注：紙盤先用塑膠袋 (PACK-PBC013-H不穿孔) 裝好后再裝入外箱,外箱中有紙板(PACK-STC008-H)兩塊、隔板(PACK-STC001-C/H)三個。
CF31***D0RE/F-10-NH不包含在 CF31***D0R*-10-NH內

PACKING METHOD (包裝方式) :

1 PE BAG (塑膠袋)
SIZE = L * W

2 TUBE (塑膠管)
SIZE = L * W * H

3 PVC TRAY (塑膠盒)
SIZE = L * W * H

4 REEL (卷盤)
SIZE = D * W

5 BOX (內紙盒)
SIZE = L * W * H

6 INSIDE CARTON (內箱)
SIZE = L * W * H

7 OUTSIDE CARTON (外箱)
SIZE = L * W * H

PACKING METHOD (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7

文件履歷表

文件編號	CI15F312				
文件名稱	PACKING STANDARD				
內容變更敘述					
版本	CF3134*DOR0-05-NH CF3135*DOR0-05-NH 新加 34/ 35PIN 包規 依據 ECRH121070]PACK-CTC034-H 紙箱變更高度尺寸, PACK-CTC034-H 紙 30cm 變更為 32cm				發行日期
5	編號 : ISOXR0182210006				2022.11.02
核准	Scott	審核	Angela	製表	徐春艷
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	