




瀚荃股份有限公司  
CvILux Corporation  
PACKING STANDARD


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF2505*D0R0-05/-NH	5	D	PACK-CRCA69-C/21-H	-	16.0	-	2000	PACK-RLCA01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	8.38
CF2506*D0R0-05/-NH	6	D	PACK-CRCA31-C	-	16.0	-	2000	PACK-RLCA01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	8.66
CF2506*D0R0-05/-NH	6	D	PACK-CRCB265-C	-	16.0	-	2000	PACK-RLCB01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	8.93
CF2507*D0R0-05/-NH	7	D	PACK-CRCA70-C	-	16.0	-	2000	PACK-RLCA01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	8.93
CF2508*D0R0-05/-NH	8	D	PACK-CRCA50-C/16-H	-	16.0	-	2000	PACK-RLCA01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	9.16
CF2508*D0R0-05/-NH	8	D	PACK-CRCA82-C	-	16.0	-	2000	PACK-RLCA01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	8.93
CF2509*D0R0-05/-NH	9	D	PACK-CRCA57-C/15-H	-	16.0	-	2000	PACK-RLCA01-C/-NH-H	-	16.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	9.48
CF2510*D0R0-05/-NH	10	D	PACK-CRCB108-C	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	9.81
CF2511*D0R0-05/-NH	11	D	PACK-CRCB199-C	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.04
CF2512*D0R0-05/-NH	12	D	PACK-CRCB181-C/60-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.26
CF2513*D0R0-05/-NH	13	D	PACK-CRCB183-C	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.49
CF2514*D0R0-05/-NH	14	D	PACK-CRCB172-C/127-NH-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.71
CF2515*D0R0-05/-NH	15	D	PACK-CRCB238-C/69-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.94
CF2516*D0R0-05/-NH	16	D	PACK-CRCB194-C/26-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	11.14
CF2517*D0R0-05/-NH	17	D	PACK-CRCB138-C/23-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	11.37
CF2518*D0R0-05/-NH	18	D	PACK-CRCB135-C/24-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	11.58
CF2519*D0R0-05/-NH	19	D	PACK-CRCB201-C	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	11.80
CF2520*D0R0-05/-NH	20	D	PACK-CRCB168-C/25-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	12.59
CF2520*D0R0-05/-NH	20	D	PACK-CRCC140-C	-	24.0	-	2000	PACK-RLCC01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	12.59
CF2521*D0R0-05/-NH	21	D	PACK-CRCB133-C/18-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	12.25
CF2522*D0R0-05/-NH	22	D	PACK-CRCB158-C/70-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	12.48
CF2523*D0R0-05/-NH	23	D	PACK-CRCB218-C/71-H	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	12.70
CF2524*D0R0-05/-NH	24	D	PACK-CRCB173-C	-	32.0	-	2000	PACK-RLCB01-C/-NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.26
CF2525*D0R0-05/-NH	25	D	PACK-CRCB128-C	-	24.0	-	2000	PACK-RLCB01-C/-NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	13.15
CF2526*D0R0-05/-NH	26	D	PACK-CRCC82-C/18-H	-	32.0	-	2000	PACK-RLCC01-C/-NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	10.86
CF2527*D0R0-05/-NH	27	D	PACK-CRCC**C	-	32.0	-	2000	PACK-RLCC01-C/-NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	11.04
CF2528*D0R0-05/-NH	28	D	PACK-CRCC111-C/72-H	-	32.0	-	2000	PACK-RLCC01-C/-NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	11.21
CF2529*D0R0-05/-NH	29	D	PACK-CRCC99-C/45-H	-	32.0	-	2000	PACK-RLCC01-C/-NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	11.32
CF2530*D0R0-05/-NH	30	D	PACK-CRCC76-C/17-H	-	32.0	-	2000	PACK-RLCC01-C/-NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	11.59

PACKING METHOD (包裝方式) :


1 PVC BAG (塑膠袋)  
SIZE = L \* W




2 TUBE (塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H




4 REEL (紙盤)  
SIZE = D \* W




5 BOX (內紙盒)  
SIZE = L \* W \* H



6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H



7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H



PACKING METHOD CODE (包裝方式代碼) :


- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7




SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF2531*D0R0-05/-NH	31	D	PACK-CRCC157-C	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	11.77
CF2532*D0R0-05/-NH	32	D	PACK-CRCC81-C/42-H	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	12.03
CF2533*D0R0-05/-NH	33	D	PACK-CRCC79-C/41-H	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	12.20
CF2534*D0R0-05/-NH	34	D	PACK-CRCC116-C	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	14000	12.38
CF2535*D0R0-05/-NH	35	D	PACK-CRCD158-C/40-H	-	32.0	-	2000	PACK-RLCD01-C/NH-H	-	32.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.22
CF2536*D0R0-05/-NH	36	D	PACK-CRCD129-C/37-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.11
CF2537*D0R0-05/-NH	37	D	PACK-CRCD168-C/27-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.24
CF2538*D0R0-05/-NH	38	D	PACK-CRCD106-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.36
CF2539*D0R0-05/-NH	39	D	PACK-CRCD170-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.49
CF2540*D0R0-05/-NH	40	D	PACK-CRCD105-C/33-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.61
CF2541*D0R0-05/-NH	41	D	PACK-CRCD28-C/H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.74
CF2542*D0R0-05/-NH	42	D	PACK-CRCD181-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.86
CF2543*D0R0-05/-NH	43	D	PACK-CRCD186-C/51-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.99
CF2544*D0R0-05/-NH	44	D	PACK-CRCD148-C/48-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.17
CF2545*D0R0-05/-NH	45	D	PACK-CRCD93-C/31-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.24
CF2546*D0R0-05/-NH	46	D	PACK-CRCD173-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.36
CF2547*D0R0-05/-NH	47	D	PACK-CRCD**C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.49
CF2548*D0R0-05/-NH	48	D	PACK-CRCD164-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.61
CF2549*D0R0-05/-NH	49	D	PACK-CRCD177-C/19-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.74
CF2550*D0R0-05/-NH	50	D	PACK-CRCD94-C/21-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.86
CF2551*D0R0-05/-NH	51	D	PACK-CRCD185-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	11.99
CF2552*D0R0-05/-NH	52	D	PACK-CRCD304-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	12.11
CF2553*D0R0-05/-NH	53	D	PACK-CRCD192-C/49-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	12.24
CF2554*D0R0-05/-NH	54	D	PACK-CRCD97-C/32-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	12.36
CF2555*D0R0-05/-NH	55	D	PACK-CRCD131-C/46-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	12.49
CF2556*D0R0-05/-NH	56	D	PACK-CRCD258-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	9.79
CF2557*D0R0-05/-NH	57	D	PACK-CRCD179-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	10000	10.82
CF2558*D0R0-05/-NH	58	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	8000	10.91
CF2559*D0R0-05/-NH	59	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/H	35.0	35.0	32.0	8000	10.22

**PACKING METHOD (包裝方式) :**


1 PVC BAG (塑膠袋)  
SIZE = L \* W




2 TUBE (塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H




4 REEL (紙盤)  
SIZE = D \* W




5 BOX (內紙盒)  
SIZE = L \* W \* H



6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H



7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H



**PACKING METHOD CODE (包裝方式代碼) :**


- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7




SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF2560*D0R0-05/-NH	60	D	PACK-CRCE38-C/21-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	10.23
CF2561*D0R0-05/-NH	61	D	PACK-CRCE35-C/03-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.21
CF2562*D0R0-05/-NH	62	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.31
CF2563*D0R0-05/-NH	63	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.41
CF2564*D0R0-05/-NH	64	D	PACK-CRCE56-C/08-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.51
CF2565*D0R0-05/-NH	65	D	PACK-CRCE36-C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.61
CF2566*D0R0-05/-NH	66	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.41
CF2567*D0R0-05/-NH	67	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.51
CF2568*D0R0-05/-NH	68	D	PACK-CRCE68-C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.61
CF2569*D0R0-05/-NH	69	D	PACK-CRCE71-C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	11.71
CF2575*D0R0-05/-NH	75	D	PACK-CRCE14-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	12.56
CF2580*D0R0-05/-NH	80	D	PACK-CRCE112-C/21-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	14.34
CF25701D0R0-05-NH	70	D	PACK-CRCE18-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	
*注：CF25***DORN-05/-NH、CF25***DORM-05/-NH、CF25***DORB-05/-NH、採用以上相同PIN數包裝。																		
CF2516*D0RR-05/-NH	16	D	PACK-CRCB194-C	-	24.0	-	2000	PACK-RLCB00	-	24.50	-	2000	PACK-CTC034-C	35.0	35.0	32.0	18000	11.14

**PACKING METHOD (包裝方式)：**


1 PVC BAG (塑膠袋)  
SIZE = L \* W




2 TUBE (塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H




4 REEL (紙盤)  
SIZE = D \* W




5 BOX (內紙盒)  
SIZE = L \* W \* H



6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H




7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H



**PACKING METHOD CODE (包裝方式代碼)：**

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7




瀚荃股份有限公司  
CviLux Corporation  
PACKING STANDARD


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF2503*D0R0-10/-NH	3	D	PACK-CRCA70-C	-	16.0	-	2000	PACK-RLCA01-C/NH-H	-	16.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	9.44
CF2504*D0R0-10/-NH	4	D	PACK-CRCA57-C/15-H	-	16.0	-	2000	PACK-RLCA01-C/NH-H	-	16.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	22000	9.44
CF2505*D0R0-10/-NH	5	D	PACK-CRCB199-C	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	9.20
CF2506*D0R0-10/-NH	6	D	PACK-CRCB183-C	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	9.51
CF2507*D0R0-10/-NH	7	D	PACK-CRCB69-H	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	9.81
CF2508*D0R0-10/-NH	8	D	PACK-CRCB138-C/23-H	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.12
CF2509*D0R0-10/-NH	9	D	PACK-CRCB201-C	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.42
CF2510*D0R0-10/-NH	10	D	PACK-CRCB133-C/18-H	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	10.73
CF2511*D0R0-10/-NH	11	D	PACK-CRCB218-C/71-H	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	11.04
CF2512*D0R0-10/-NH	12	D	PACK-CRCB128-C	-	24.0	-	2000	PACK-RLCB01-C/NH-H	-	24.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	18000	11.16
CF2513*D0R0-10/-NH	13	D	PACK-CRCC**C	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	9.49
CF2514*D0R0-10/-NH	14	D	PACK-CRCC99-C/45-H	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	9.65
CF2515*D0R0-10/-NH	15	D	PACK-CRCC157-C	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	9.97
CF2516*D0R0-10/-NH	16	D	PACK-CRCC79-C	-	32.0	-	2000	PACK-RLCC01-C/NH-H	-	32.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	14000	10.21
CF2517*D0R0-10/-NH	17	D	PACK-CRCD158-C/40-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	8.53
CF2518*D0R0-10/-NH	18	D	PACK-CRCD168-C/27-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	8.65
CF2519*D0R0-10/-NH	19	D	PACK-CRCD170-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	8.82
CF2520*D0R0-10/-NH	20	D	PACK-CRCD28-C/H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	8.99
CF2521*D0R0-10/-NH	21	D	PACK-CRCD186-C/51-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	9.16
CF2522*D0R0-10/-NH	22	D	PACK-CRCD93-C/31-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	9.33
CF2523*D0R0-10/-NH	23	D	PACK-CRCD**C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	9.50
CF2524*D0R0-10/-NH	24	D	PACK-CRCD177-C/19-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	9.67
CF2525*D0R0-10/-NH	25	D	PACK-CRCD185-C	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	9.84
CF2526*D0R0-10/-NH	26	D	PACK-CRCD192-C/49-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	10.01
CF2527*D0R0-10/-NH	27	D	PACK-CRCD131-C/46-H	-	44.0	-	2000	PACK-RLCD01-C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	10.18
CF2528*D0R0-10/-NH	28	D	PACK-CRCD179-C/50-H	-	44.0	-	2000	PACK-RLCD01C/NH-H	-	44.50	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	10000	9.79
CF2529*D0R0-10/-NH	29	D	PACK-CRCE**C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	9.04
CF2530*D0R0-10/-NH	30	D	PACK-CRCE35-C/03-H	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	9.18

PACKING METHOD (包裝方式) :


1 PVC BAG (塑膠袋)  
SIZE = L \* W




2 TUBE (塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H




4 REEL (紙盤)  
SIZE - D \* W




5 BOX (內紙盒)  
SIZE - L \* W \* H



6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H



7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H



PACKING METHOD CODE (包裝方式代碼) :


- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7




SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING QTY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF2531*D0R0-10/-NH	31	D	PACK-CRCE**-C	-	56.0	-	2000	PACK-RLCE01-C/NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	30.0	8000	9.31
CF2532*D0R0-10/-NH	32	D	PACK-CRCE36-C/17-NH-H	-	56.0	-	2000	PACK-RLCE01-C-NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	30.0	8000	9.45
CF2534*D0R0-10/-NH	34	D	PACK-CRCE71-C	-	56.0	-	2000	PACK-RLCE01-C-NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	30.0	8000	12.24
CF2539*D0R0-10/-NH	39	D	PACK-CRCE16-NH-H	-	56.0	-	2000	PACK-RLCE01-C-NH-H	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	30.0	8000	12.24
*注：CF25***DORN-10 CF25***DORM-10、CF25***DORB-10、採用以上相同PIN數包裝。 塑膠盤先用塑膠袋PACK-PBC0**-C裝好後再裝入外箱。 外箱中紙板 (PACK-STC016-C)兩塊，隔板 (PACK-STC001-C)四個。 *客戶指定CF2530AD0R0-10/-NH。																		
CF2530AD0R0-10/-NH	30	D	PACK-CRCE35-C	-	56.0	-	2000	PACK-RLCE00	-	56.5	-	2000	PACK-CTC034-C/-H	35.0	35.0	32.0	8000	9.04

PACKING METHOD (包裝方式)：


1 PVC BAG (塑膠袋)  
SIZE = L \* W




2 TUBE (塑膠管)  
SIZE = L \* W \* H




3 PVC TRAY (塑膠盒)  
SIZE = L \* W \* H




4 REEL (紙盤)  
SIZE = D \* W




5 BOX (內紙盒)  
SIZE = L \* W \* H



6 INSIDE CARTON (內箱)  
SIZE = L \* W \* H



7 OUTSIDE CARTON (外箱)  
SIZE = L \* W \* H



PACKING METHOD CODE (包裝方式代碼)：

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = (4+1) → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = 2 → 6 → 7
- H = 3 → 6 → 7