

ECBT2.E159616 - CONNECTORS FOR USE IN DATA, SIGNAL, CONTROL AND POWER APPLICATIONS - COMPONENT

Connectors for Use in Data, Signal, Control and Power Applications - Component

See General Information for Connectors for Use in Data, Signal, Control and Power Applications - Component

CVILUX CORP

E159616

9TH FL

9 LANE 3 CHUNG CHENG E RD, SEC 1

TAMSHUI, TAIPEI 251 TAIWAN

Connector, "CA30 (M) Series", Model(s) CA30 (d)**Connector, "CA32 (M) Series"**, Model(s) CA32 (e)

Connector, Model(s) CD72, followed by 09, 15, 25 or 37, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, D5, D7, N0, N1, AA, A0 or A1.

Connector, Model(s) CD72, followed by 09, 15, 25 or 37, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by DE, followed by LF.

Connector, Model(s) CD72, followed by 09, 15, 25 or 37, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, D5, D7, N0 or N1.

Connector, Model(s) CD72, followed by 09, 15, 25 or 37, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by DE, followed by T0 or blank, followed by LF.

Connector, Model(s) CD72, followed by 50, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, N0 or N1.

Connector, Model(s) CD72, followed by 50, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, D7, N0 or N1.

Connector, Model(s) CD72, followed by 50, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by DE or DF, followed by LF.

Connector, Model(s) CI0702M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 1 or L, followed by -NH

Connector, Model(s) CI10, followed by 02 thru 16, followed by P, followed by one alphanumeric digit, followed by H, followed by K, followed by one alphanumeric digit.

Connector, Model(s) CI39, followed by 02 thru 18, followed by M, followed by one alphanumeric digit, followed by V, followed by two alphanumeric digits, followed by -NH.

Connector, Model(s) CI43, followed by 04, 05, 06 or 08, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by A-LF

Connector, Model(s) CI88, followed by 02 thru 18, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connector, Model(s) CID1, followed by 01 thru 03, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by -NH

Connector, Model(s) CIL102M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -NH.

Connector, Model(s) CP-01, followed by 4, followed by 06, followed by 1 or 2, followed by 5, followed by M or blank, followed by -PA.

Connector, Model(s) CP1602M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -NH

Connector, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by H00-S, followed by -LF or -NH, followed by -T

Connector, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by V00-S, followed by -LF or -NH, followed by -T

Connectors, "CA30 (I) Series", Model(s) CA30, followed by 04 thru 26, followed by P, followed by two alphanumeric digits, followed by I, followed by one alphanumeric digit.

Connectors, "CA32(H) Series or CA32(V) Series", Model(s) CA32, followed by 04 thru 26, followed by H or V, followed by three alphanumeric digits, followed by 0 or L.

Connectors, "CA32(M) Series", Model(s) CA32, followed by 04 thru 26, followed by M, followed by three alphanumeric digits, followed by 0 or L.

Connectors, "CB74(M) Series", Model(s) CB74, followed by 06 thru 60, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit, followed by 0 or 1.

Connectors, "CF25(05) Series", Model(s) CF25, followed by 08 thru 65, followed by one alphanumeric digit, followed by D, followed by three alphanumeric digits, followed by -05.

Connectors, "CF25(10) Series", Model(s) CF25, followed by 04 thru 32, followed by one alphanumeric digit, followed by D, followed by three alphanumeric digits, followed by -10.

Connectors, "CI01(P) Series", Model(s) CI01, followed by 06 thru 32, followed by P, followed by one alphanumeric digit, followed by H or V, followed by D.

Connectors, "CI06(P) Series", Model(s) CI06, followed by 02 thru 16, followed by P, followed by one alphanumeric digit, followed by V or H, followed by two alphanumeric digits.

Connectors, "CI06(S) Series", Model(s) CI0602S0 thru CI0616S0

Connectors, "CI11(M) Series", Model(s) CI11, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V or H.

Connectors, "CI11(S) Series", Model(s) CI11-02-S0000 thru CI11-15-S0000

Connectors, "CP-011(S) Series", Model(s) CP-011, followed by 03 or 05, followed by two alphanumeric digits, followed by S.

Connectors, "CP-012(S) Series", Model(s) CP-012, followed by 03 or 05, followed by two alphanumeric digits, followed by S.

Connectors, "CP04(P) Series", Model(s) CP04, followed by 2, 3 or 4, followed by A, B or C, followed by P, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit, followed by 0.

Connectors, "CP04(S) Series", Model(s) CP0402S0000, CP0403S0000, CP0404S0000

Connectors, "CP05(P) Series", Model(s) CP05, followed by 02, followed by P, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit, followed by 0.

Connectors, "CP05(S) Series", Model(s) CP0502S0000

Connectors, Model(s) 11W1PCH (a), 11W1PCS (a), 11W1PCV (a), 11W1PPH (b), 11W1PPH (c), 11W1PPS (b), 11W1PPS (c), 11W1PPV (b), 11W1PPV (c), 11W1SCH (a), 11W1SCS (a), 11W1SCV (a), 11W1SPH (b), 11W1SPH (c), 11W1SPS (b), 11W1SPS (c), 11W1SPV (b), 11W1SPV (c), 13W3PCH (a), 13W3PCS (a), 13W3PCV (a), 13W3PPH (b), 13W3PPH (c), 13W3PPS (b), 13W3PPS (c), 13W3PPV (b), 13W3PPV (c), 13W3SCH (a), 13W3SCS (a), 13W3SCV (a), 13W3SPH (b), 13W3SPH (c), 13W3SPS (b), 13W3SPS (c), 13W3SPV (b), 13W3SPV (c), 17W2PCH (a), 17W2PCS (a), 17W2PCV (a), 17W2PPH (b), 17W2PPH (c), 17W2PPS (b), 17W2PPS (c), 17W2PPV (b), 17W2PPV (c), 17W2SCH (a), 17W2SCS (a), 17W2SCV (a), 17W2SPH (b), 17W2SPH (c), 17W2SPS (b), 17W2SPS (c), 17W2SPV (b), 17W2SPV (c), 21W4PCH (a), 21W4PCS (a), 21W4PCV (a), 21W4PPH (b), 21W4PPH (c), 21W4PPS (b), 21W4PPS (c), 21W4PPV (b), 21W4PPV (c), 21W4SCH (a), 21W4SCS (a), 21W4SCV (a), 21W4SPH (b), 21W4SPH (c), 21W4SPS (b), 21W4SPS (c), 21W4SPV (b), 21W4SPV (c), 25W3PCH (a), 25W3PCS (a), 25W3PCV (a), 25W3PPH (b), 25W3PPH (c), 25W3PPS (b), 25W3PPS (c), 25W3PPV (b), 25W3PPV (c), 25W3SCH (a), 25W3SCS (a), 25W3SCV (a), 25W3SPH (b), 25W3SPH (c), 25W3SPS (b), 25W3SPS (c),

25W3SPV (b), 25W3SPV (c), 36W4PCH (a), 36W4PCS (a), 36W4PCV (a), 36W4PPH (b), 36W4PPH (c), 36W4PPS (b), 36W4PPS (c), 36W4PPV (b), 36W4PPV (c), 36W4SCH (a), 36W4SCS (a), 36W4SCV (a), 36W4SPH (b), 36W4SPH (c), 36W4SPS (b), 36W4SPS (c), 36W4SPV (b), 36W4SPV (c), 3W3CPCH (a), 3W3CPCS (a), 3W3CPCV (a), 3W3CPPH (b), 3W3CPPH (c), 3W3CPPS (b), 3W3CPPS (c), 3W3CPPV (b), 3W3CPPV (c), 3W3CSCH (a), 3W3SCS (a), 3W3CSCV (a), 3W3CSPH (b), 3W3CSPH (c), 3W3CSPS (b), 3W3CSPS (c), 3W3CSPV (b), 3W3CSPV (c), C3W3PCH (a), C3W3PCS (a), C3W3PCV (a), C3W3PPH (b), C3W3PPH (c), C3W3PPS (b), C3W3PPS (c), C3W3PPV (b), C3W3PPV (c), C3W3SCH (a), C3W3SCS (a), C3W3SCV (a), C3W3SPH (b), C3W3SPH (c), C3W3SPS (b), C3W3SPS (c), C3W3SPV (b), C3W3SPV (c), C5W5PCH (a), C5W5PCS (a), C5W5PCV (a), C5W5PPH (b), C5W5PPH (c), C5W5PPS (b), C5W5PPS (c), C5W5PPV (b), C5W5PPV (c), C5W5SCH (a), C5W5SCS (a), C5W5SCV (a), C5W5SPH (b), C5W5SPH (c), C5W5SPS (b), C5W5SPS (c), C5W5SPV (b), C5W5SPV (c), C7W2PCH (a), C7W2PCS (a), C7W2PCV (a), C7W2PPH (b), C7W2PPH (c), C7W2PPS (b), C7W2PPS (c), C7W2PPV (b), C7W2PPV (c), C7W2SCH (a), C7W2SCS (a), C7W2SCV (a), C7W2SPH (b), C7W2SPH (c), C7W2SPS (b), C7W2SPS (c), C7W2SPV (b), C7W2SPV (c), C8W8PCH (a), C8W8PCS (a), C8W8PCV (a), C8W8PPH (b), C8W8PPH (c), C8W8PPS (b), C8W8PPS (c), C8W8PPV (b), C8W8PPV (c), C8W8SCH (a), C8W8SCS (a), C8W8SCV (a), C8W8SPH (b), C8W8SPH (c), C8W8SPS (b), C8W8SPS (c), C8W8SPV (b), C8W8SPV (c)

Connectors, Model(s) CA02, followed by 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100, followed by S, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by two alphanumeric digits.

Connectors, Model(s) CA02100S, CA0210S, CA0220S, CA0230S, CA0240S, CA0250S, CA0260S, CA0270S, CA0280S, CA0290S

Connectors, Model(s) CA04, followed by 10, 14, 16, 20, 26, 34, 40, 50, or 60 followed by P, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by two alphanumeric digits.

Connectors, Model(s) CA0410P, CA0414P, CA0416P, CA0420P, CA0426P, CA0434P, CA0440P, CA0450P, CA0460P

Connectors, Model(s) CA11, followed by 20, 22, 24, 26, 34, 36, 40, 44, 50 or 68, followed by S, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by 00 or A0.

Connectors, Model(s) CA1120S, CA1122S, CA1124S, CA1126S, CA1134S, CA1136S, CA1140S, CA1144S, CA1150S, CA1168S

Connectors, Model(s) CA21, followed by 06, 08, 10, 12, 14, 16, 20, 24, 26, 30, 34, 40, 44, 50, 56, 60, 62 or 64, followed by S, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by 00 or A0.

Connectors, Model(s) CA2110S, CA2112S, CA2114S, CA2116S, CA2120S, CA2124S, CA2126S, CA2130S, CA2134S, CA2140S, CA2144S, CA2150S, CA2156S, CA2160S, CA2162S, CA2164S, CA216S, CA218S

Connectors, Model(s) CA23, followed by 08, 10, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60 or 64, followed by P, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by two alphanumeric digits.

Connectors, Model(s) CA2310P, CA2314P, CA2316P, CA2320P, CA2324P, CA2326P, CA2330P, CA2334P, CA2340P, CA2350P, CA2360P, CA2364P, CA238P

Connectors, Model(s) CA30, CA31, followed by 04 thru 26, followed by P, followed by four alphanumeric digits.

Connectors, Model(s) CA33, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24 or 26, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by I, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s) CA34, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24 or 26, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s) CA35, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24 or 26, followed by H, M or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s) CB27, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by H100.

Connectors, Model(s) CB39, followed by 02 thru 40, followed by one alphanumeric digit, followed by H or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s) CB50, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98 or X1, followed by one alphanumeric digit, followed by 0, A, B or P, followed by 0 or P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s) CB74, followed by 04 thru 80, followed by one alphanumeric digit, followed by H or V.

Connectors, Model(s) CB83, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by R, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 0, 1, 2 or 3, followed by -LF, -NH or blank.

Connectors, Model(s) CB85, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by two alphanumeric digits, followed by -LF, -NH or blank.

Connectors, Model(s) CB91, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by H or V, followed by one alphanumeric digit, followed by two alphanumeric digits.

Connectors, Model(s) CBRE030SA and CBRE030PA, followed by one alphanumeric digit, followed by 0 or F, followed by 00 or P1, followed by two alphanumeric digit, followed by NH.

Connectors, Model(s) CD01, CD02, CD03, CD04 or CD05, CD5 followed by 15, 26, 44 or 62, followed by P or S.

Connectors, Model(s) CD51, CD52, CD53, CD54 or CD61 followed by 09, 15, 25 or 37, followed by S or P.

Connectors, Model(s) CD5809S and CD5809P, followed by one alphanumeric digit, followed by 0 or 1, followed by two alphanumeric digits.

Connectors, Model(s) CD81V1PP, CD81V1PS, CD81V1SP, CD81V1SS, CD81V2PP, CD81V2PS, CD81V2SP, CD81V2SS, CD81V3PP, CD81V3PS, CD81V3SP, CD81V3SS, CD9109P, CD9115P, CD9125P, CD92A1, CD92A2, CD92A3, CD92A4, CD9375P

Connectors, Model(s) CF07, followed by 04 thru 32, followed by 1, followed by D or U, followed by 0, followed by R or T, followed by 0.

Connectors, Model(s) CF08, followed by 04 thru 32, followed by 1H2, followed by R or T, followed by 0.

Connectors, Model(s) CF08, followed by 04 thru 32, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -LF, -NH or blank.

Connectors, Model(s) CF09, followed by 04 thru 32, followed by 1, followed by H or V, followed by 200.

Connectors, Model(s) CF10 or CF16, followed by 04 thru 32, followed by 1, followed by D, M, U or V, followed by 0T0.

Connectors, Model(s) CF20, followed by 04 thru 24, followed by one alphanumeric digit, followed by D, U or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -1, followed by 0 or W, followed by ?LF, -NH or blank.

Connectors, Model(s) CF20, followed by 04 thru 50, followed by one alphanumeric digit, followed by D, U or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -LF, -NH or blank.

Connectors, Model(s) CF21, followed by 06 thru 50, followed by 1, followed by D, U or V, Followed by 0.

Connectors, Model(s) CF23, followed by 04 thru 40, followed by one alphanumeric digit, followed by D or U, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -LF, -NH or blank.

Connectors, Model(s) CF25, followed by 04 through 32, followed by one alphanumeric digit, followed by D, followed by 0 or 1, followed by two alphanumeric digits, followed by -10, followed by -NH.

Connectors, Model(s) CF25, followed by 08 through 65, followed by one alphanumeric digit, followed by D, followed by 0 or 1, followed by two alphanumeric digits, followed by -05, followed by -NH.

Connectors, Model(s) CF27, followed by 04 thru 65, followed by one alphanumeric digit, followed by H, followed by 0 or 1, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CF30, followed by 11 thru 61, followed by one alphanumeric digit, followed by D, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by A or B, followed by -NH.

Connectors, Model(s) CF42, followed by 04 thru 50, followed by 1, 2 or F, followed by H0, followed by R or T, followed by 0, 2 or W, followed by -05, followed by ?NH.

Connectors, Model(s) CH01, followed by 02 through 50, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH0102H thru CH0150H, CH0102V thru CH0150V

Connectors, Model(s) CH11, followed by 02 through 40, followed by 1 thru 4, followed by V, may be followed by 0 thru 9,

followed by 00.

Connectors, Model(s) CH1102V thru CH1140V

Connectors, Model(s) CH31, followed by 02 through 40, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00, 01, 02 or 03.

Connectors, Model(s) CH3102H thru CH3140H, CH3102V thru CH3140V

Connectors, Model(s) CH61, followed by 06 thru 100 inclusive, followed by 1 thru 4, followed by V, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH61-06 thru CH61-100

Connectors, Model(s) CH66, followed by 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100, followed by 1, A, B or C, followed by H or V, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH66100H, CH66100V, CH6610H, CH6610V, CH6620H, CH6620V, CH6630H, CH6630V, CH6640H, CH6640V, CH6650H, CH6650V, CH6660H, CH6660V, CH6670H, CH6670V, CH6680H, CH6680V, CH6690H, CH6690V

Connectors, Model(s) CH71, followed by 02 thru 80 inclusive, followed by 1 thru 4, followed by V, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH7104V thru CH7180V

Connectors, Model(s) CH74, followed by 16, 20, 26, 34, 40, 44, 50 or 68, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH74, followed by 16, 20, 26, 34, 40, 44, followed by 50 or 68, followed by H or V.

Connectors, Model(s) CH81, followed by 02 thru 80 inclusive, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00 or 01.

Connectors, Model(s) CH8102H thru CH8180H, CH8102V thru CH8180V

Connectors, Model(s) CH85, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by V, followed by 2 or A, followed by 0W

Connectors, Model(s) CH87, followed by 10, 14, 16, 20, 26, 30, 34, 40, 50, 60 or 64, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH8710H, CH8710V, CH8714H, CH8714V, CH8716H, CH8716V, CH8720H, CH8720V, CH8726H, CH8726V, CH8730H, CH8730V, CH8734H, CH8734V, CH8740H, CH8740V, CH8750H, CH8750V, CH8760H, CH8760V, CH8764H, CH8764V

Connectors, Model(s) CH88, followed by 10, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60 or 64, followed by 1 thru 4, followed by A or B, may be followed by 0 thru 9, followed by 00.

Connectors, Model(s) CH88A, CH88B

Connectors, Model(s) CI01, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0 or N, followed by LF, NH or blank.

Connectors, Model(s) CI01, followed by 02 thru 16, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by LF, NH or blank.

Connectors, Model(s) CI01, followed by 02 thru 16, followed by P, followed by one alphanumeric digit, followed by H or V, followed by K or 0, followed by 0, followed by LF or NH.

Connectors, Model(s) CI01, followed by 06 thru 34, followed by P, followed by one alphanumeric digit, followed by H or V, followed by D, followed by one alphanumeric digit except for L, followed by LF or NH.

Connectors, Model(s) CI01, followed by 06 thru 34, followed by P, followed by one alphanumeric digit, followed by H or V, followed by DL, followed by LF or NH.

Connectors, Model(s) CI01, followed by 06, 08 or 10, followed by SD0A, followed by one alphanumeric digit.

Connectors, Model(s) CI01, followed by 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 34, followed by SD0L, followed by one alphanumeric digit.

Connectors, Model(s) CI01, followed by 10, 12, 14 or 16, followed by M, followed by one alphanumeric digit, followed by H,

followed by one alphanumeric digit, followed by L, followed by LF or NH.

Connectors, Model(s) CI01, followed by 10, 12, 14 or 16, followed by S00L, followed by one alphanumeric digit.

Connectors, Model(s) CI01, followed by 14M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0LC.

Connectors, Model(s) CI0102P thru CI0115P, CI0102S thru CI0115S, CI0106SD thru CI0132SD, CI0202S thru CI0216S

Connectors, Model(s) CI0702M, followed by one alphanumeric digit, followed by H, followed by R or T, followed by one alphanumeric digit, followed by -NH

Connectors, Model(s) CI0702S0, followed by three alphanumeric digits

Connectors, Model(s) CI0702SL, followed by three alphanumeric digits, followed by -NH

Connectors, Model(s) CI11, followed by 02 thru 18, 20 or 26, followed by M, followed by one alphanumeric digit, followed by H, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s) CI11, followed by 02 thru 18, 20 or 26, followed by M, followed by one alphanumeric digit, followed by V, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s) CI11, followed by 12, 16, 20, 30, 40 or 50, followed by M, followed by one alphanumeric digit, followed by HD, followed by one alphanumeric digit, followed by two alphanumeric digits, followed by -NH or blank.

Connectors, Model(s) CI11, followed by 16, 20, 30, 40 or 50, followed by M, followed by one alphanumeric digit, followed by VD, followed by 0- or 1-, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -NH or blank.

Connectors, Model(s) CI11, followed by 16, 20, 30, 40 or 50, followed by SD, followed by three alphanumeric digits, followed by -NH or blank.

Connectors, Model(s) CI11, followed by 2 thru 15, followed by S, followed by 0 or N, followed by three alphanumeric digits, followed by NH.

Connectors, Model(s) CI1330M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0NH or blank.

Connectors, Model(s) CI1330M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by ANH or blank.

Connectors, Model(s) CI14, followed by 02 thru 12, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by C or E, followed by NH.

Connectors, Model(s) CI14, followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CI14, followed by 02 thru 20, followed by S, followed by 00 or L0, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CI14, followed by 03 thru 12, followed by M, followed by one alphanumeric digit, followed by V, followed by L, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CI15, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit except for L, followed by LF, NH or blank.

Connectors, Model(s) CI15, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by LF, NH or blank.

Connectors, Model(s) CI15, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by H or V, followed by two alphanumeric digits, followed by LF, NH or blank.

Connectors, Model(s) CI15, followed by 02 thru 15, followed by S, followed by 0, followed by two alphanumeric digits, followed by one alphanumeric digit.

Connectors, Model(s) CI15, followed by 03 thru 07, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by L, followed by NH.

Connectors, Model(s) CI15, followed by 03 thru 07, followed by S, followed by L0, followed by one alphanumeric digits, followed by one alphanumeric digit.

Connectors, Model(s) CI16, followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by H, followed

by one alphanumeric digit, followed by 0 or A, followed by ?NH

Connectors, Model(s) CI16, followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0, A, B or C, followed by ?NH

Connectors, Model(s) CI16, followed by 02 thru 20, followed by S, followed by L, followed by 000 or 00A, followed by ?NH

Connectors, Model(s) CI18, followed by 02 thru 22, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CI18, followed by 02 thru 22, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CI19, followed by 02 thru 12, followed by M, followed by one alphanumeric digit, followed by H or V, followed by two alphanumeric digits, followed by -NH.

Connectors, Model(s) CI19, followed by 02 thru 12, followed by S, followed by L0, followed by 0 or 1 thru 9, followed by one alphanumeric digit, followed by -NH.

Connectors, Model(s) CI2102P thru CI2115P, CI2102S thru CI2115S, CI2202P thru CI2220P, CI2202S thru CI2220S, CI2302P thru CI2320P, CI2302S thru CI2320S, CI2502P thru CI2515P, CI2502S thru CI2515S, CI2602P thru CI2616P, CI2602S thru CI2616S

Connectors, Model(s) CI3002P*H** (#), CI3003P*H** (#), CI3004P*H** (#), CI3005P*H** (#), CI3006P*H** (#), CI3007P*H** (#), CI3008P*H** (#), CI3009P*H** (#), CI3010P*H** (#), CI3011P*H** (#), CI3012P*H** (#), CI3013P*H** (#), CI3014P*H** (#), CI3015P*H** (#)

Connectors, Model(s) CI3102P thru CI3120P, CI3102S thru CI3120S, CI3202S thru CI3240S, CI3304P, CI3304S, CI3404S thru CI3480S, CI3504P, CI3504S

Connectors, Model(s) CI42, followed by 02 thru 10, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s) CI44, followed by 02 through 15, followed by P or M, followed by 1, followed by V or H, followed by 00.

Connectors, Model(s) CI44, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by H, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s) CI44, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s) CI44, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by LF or NH.

Connectors, Model(s) CI44, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0, followed by LF or NH.

Connectors, Model(s) CI44, followed by 02 thru 15, followed by S, followed by three alphanumeric digits, followed by 0 or 0-L, followed by NH.

Connectors, Model(s) CI44-02-S0000 thru CI44-15-S0000, CI5102P thru CI5120P, CI5102S thru CI5120S, CI5202P thru CI5212P, CI5202S thru CI5212S, CI5306P thru CI5312P, CI5306S thru CI5312S, CI5402P thru CI5410P, CI5402S thru CI5410S, CI5502P thru CI5510P, CI5502S thru CI5510S, CI5602P thru CI5610P, CI5602S thru CI5610S, CI6101P thru CI6106P, CI6101S thru CI6106S, CI6201P thru CI6206P, CI6201S thru CI6206S, CI6401P thru CI6406P, CI6501P thru CI6506P, CI7202P thru CI7212P, CI7302P thru CI7310P, CI7402P thru CI7412P, CI7502P thru CI7512P, CI7502S thru CI7512S, CI7602P thru CI7612P, CI7602S thru CI7612S, CI7702P thru CI7720P, CI7702S thru CI7720S, CI7802P thru CI7820P, CI7802S thru CI7820S, CI7902P thru CI7920P, CI7902S thru CI7920S

Connectors, Model(s) CI82, followed by 02 thru 24, followed by P, followed by one digit, followed by H or V, followed by 00 or 0L.

Connectors, Model(s) CI83, followed by 02 thru 36, followed by P, followed by one digit, followed by H or V, followed by 00 or 0L.

Connectors, Model(s) CI94, followed by P, followed by FC or FM, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s) CI94, followed by PF0010P, followed by NH or blank.

Connectors, Model(s) CI94, followed by PFI, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by A or B, followed by L, P or 0, followed by -NH or blank.

Connectors, Model(s) CI94PF00100

Connectors, Model(s) CP-01, followed by 3, followed by 03 thru 05, followed by one alphanumeric digit, followed by M or N, followed by S, followed by -P1, -P2, -P3, -P4, -P5 or blank.

Connectors, Model(s) CP-01, followed by 4, followed by 03 thru 05, followed by one alphanumeric digit, followed by 0 thru 5, followed by S, followed by -P1, -P2, -P3, -P4, -P5 or blank.

Connectors, Model(s) CP-011, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by E.

Connectors, Model(s) CP-011, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by 0, followed by 1 or 3, followed by one alphanumeric digit or blank

Connectors, Model(s) CP-01102, CP-01104, CP-01106, CP-01108, CP-01110, CP-01112, CP-01114, CP-01116, CP-01118, CP-01120, CP-01122, CP-01124

Connectors, Model(s) CP-012 followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by 0, followed by 2 or 3, followed by 0, followed by -LT.

Connectors, Model(s) CP-012, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by 0, followed by 0, 1, 2 or 3, followed by one alphanumeric digit or blank

Connectors, Model(s) CP-01202, CP-01204, CP-01206, CP-01208, CP-01210, CP-01212, CP-01214, CP-01216, CP-01218, CP-01220, CP-01222, CP-01224

Connectors, Model(s) CP-013, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by one alphanumeric digit or blank, followed by 1, 3, 4, 5, 6, 7, 8 or 9, followed by one alphanumeric digit or blank

Connectors, Model(s) CP-013, followed by 03 thru 05, followed by one alphanumeric digit, followed by 1 or 3 thru 9, followed by S.

Connectors, Model(s) CP-014 followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 2, 3 or 5, followed by 0, followed by -HC, followed by -LT.

Connectors, Model(s) CP-014 followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by one alphanumeric digit or blank, followed by 0 thru 7, followed by one alphanumeric digit or blank.

Connectors, Model(s) CP-014 followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 7, followed by 0, followed by -HC, followed by -LT.

Connectors, Model(s) CP01H followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 2, 3 or 5, followed by 0.

Connectors, Model(s) CP01H followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 7, followed by 0.

Connectors, Model(s) CP01P followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by 0, followed by 2 or 3, followed by 0.

Connectors, Model(s) CP0201P, CP0201S, CP0202P, CP0202S, CP0203P, CP0203S, CP0204P, CP0204S, CP0205P, CP0205S, CP0206P, CP0206S, CP0209P, CP0209S, CP0212P, CP0212S, CP0215P, CP0215S, CP0302P, CP0302S, CP0303P, CP0303S, CP0304P, CP0304S, CP0306P, CP0306S, CP0309P, CP0309S

Connectors, Model(s) CP04, followed by 02, 03, 04 or 05, followed by SL, followed by 0 or N, followed by one alphanumeric digit, followed by 0, followed by 1 or blank.

Connectors, Model(s) CP04, followed by 2, followed by A, B, C or D, followed by P, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit except for L, followed by 0, 1 or 2, followed by LF, NH or blank.

Connectors, Model(s) CP04, followed by 2, followed by A, B, C or D, followed by P, followed by one alphanumeric digit, followed by HL, followed by 0, 1 or 2, followed by LF, NH or blank.

Connectors, Model(s) CP04, followed by 2, followed by A, B, C or D, followed by P, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit except for B, C or L, followed by 0, followed by LF, NH or RF.

Connectors, Model(s) CP04, followed by 2, followed by A, B, C or D, followed by P, followed by one alphanumeric digit, followed by ML0, followed by LF or NH.

Connectors, Model(s) CP04, followed by 2, followed by B, C, D or E, followed by P, followed by one alphanumeric digit,

followed by MB0, followed by LF or NH1 or 2, followed by LF, NH.

Connectors, Model(s) CP04, followed by 2, followed by C, D or E, followed by P, followed by one alphanumeric digit, followed by MC0, followed by LF or NH.

Connectors, Model(s) CP04, followed by 2EP, followed by one alphanumeric digit, followed by HFANH.

Connectors, Model(s) CP04, followed by 2EP, followed by one alphanumeric digit, followed by MD0, followed by LF or NH.

Connectors, Model(s) CP04, followed by 2EP, followed by one alphanumeric digit, followed by MF, followed by 0 or A, followed by LF.

Connectors, Model(s) CP04, followed by 2ESF, followed by 0 or A, followed by one alphanumeric digit, followed by 0.

Connectors, Model(s) CP04, followed by 3, followed by A or B, followed by P, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit except for L, followed by 0, 1 or 2, followed by LF, NH or blank.

Connectors, Model(s) CP04, followed by 3, followed by A or B, followed by P, followed by one alphanumeric digit, followed by HL, followed by 0, 1 or 2, followed by LF, NH or blank.

Connectors, Model(s) CP04, followed by 3, followed by A or B, followed by P, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit except for B, C or L, followed by 0, followed by LF, NH or RF.

Connectors, Model(s) CP04, followed by 3, followed by A or B, followed by P, followed by one alphanumeric digit, followed by ML0, followed by LF or NH.

Connectors, Model(s) CP04, followed by 4 or 5, followed by AP, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit except for L, followed by 0, 1 or 2, followed by LF, NH or blank.

Connectors, Model(s) CP04, followed by 4 or 5, followed by AP, followed by one alphanumeric digit, followed by HL, followed by 0, 1 or 2, followed by LF, NH or blank.

Connectors, Model(s) CP04, followed by 4 or 5, followed by AP, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit except for B, C or L, followed by 0, followed by LF, NH or RF.

Connectors, Model(s) CP04, followed by 4 or 5, followed by AP, followed by one alphanumeric digit, followed by ML0, followed by LF, NH.

Connectors, Model(s) CP05, followed by 02P, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit except for L, followed by 0, 1, 2 or 4, followed by LF, NH or blank.

Connectors, Model(s) CP05, followed by 02P, followed by one alphanumeric digit, followed by HL, followed by 0, 1, 2, 4 or 5, followed by LF, NH or blank.

Connectors, Model(s) CP05, followed by 02P, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit except for L, followed by 0, followed by LF or NH.

Connectors, Model(s) CP05, followed by 02P, followed by one alphanumeric digit, followed by ML0, followed by LF or NH.

Connectors, Model(s) CP05, followed by 02SL0, followed by one alphanumeric digit, followed by 0.

Connectors, Model(s) CP0602P thru CP0612P, CP0602S thru CP0612S, CP1102P, CP1102S, CP1103P, CP1103S, CP1104P, CP1104S, CP1106P, CP1106S, CP1109P, CP1109S, CP1112P, CP1112S

Connectors, Model(s) CP15, followed by 02, 03, 04 or 05 followed by M, followed by 1 or 2, followed by P or S, followed by R or T, followed by 0 thru 9 or N, followed by NH, followed by X01 thru X99 or blank.

Connectors, Model(s) CP31001S, CP31002S, CP31003S, CP31004S, CP31006S, CP31009S, CP31012P, CP31012S, CP31015P, CP31015S, CP3101P, CP3102P, CP3103P, CP3104P, CP3106P, CP3109P, CP3204P, CP3204S, CP3304P, CP3304S

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by 0 or R, followed by two alphanumeric digits, followed by SNH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by H, followed by S, followed by M, followed by S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by H00-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by HS0-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by HSP-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by HST-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by V00-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by VS0-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by VST-S, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by S, followed by ML, followed by 1, followed by S, followed by NH or blank.

Connectors, Model(s) CP35, followed by 02 thru 12, followed by S, followed by three alphanumeric digits, followed by SNH.

Connectors, Model(s) CP35, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by P, followed by one alphanumeric digit, followed by H, followed by 00, 0B, 0D, S0, SP, SR or ST, followed by LF, NH or blank.

Connectors, Model(s) CP35, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by P, followed by one alphanumeric digit, followed by H, followed by S, followed by M, followed by LF or NH.

Connectors, Model(s) CP35, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by P, followed by one alphanumeric digit, followed by V, followed by 00, 0B, 0E, S0, SA, SF or ST.

Connectors, Model(s) CP35, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by S, followed by ML, followed by 1, followed by 0, followed by NH or blank.

Connectors, Model(s) CP3502P thru CP3524P, CP3502S thru CP3524S

Connectors, Model(s) CP60, followed by 02, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connectors, Model(s) CP60, followed by 02, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 02, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 02, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 04, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connectors, Model(s) CP60, followed by 04, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 04, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 04, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 06, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connectors, Model(s) CP60, followed by 06, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 06, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 06, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 08, 10 or 12, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connectors, Model(s) CP60, followed by 08, 10 or 12, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 08, 10 or 12, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CP60, followed by 08, 10 or 12, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s) CS304013 or CS304525, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 0 or 1, followed by -NH or blank.

Connectors, Model(s) CU01P, CU01S, CU02P, CU02S, CU03S, CU04S

Connectors, Model(s) CU05, followed by S, followed by A, B or C, followed by H, V or M, followed by 0 or 1, followed by F, U, M, D or S

Model(s) CF23 followed by 02 thru 20, followed by one alphanumeric digit, followed by D or U, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -10, followed by -NH

Model(s) CI25 followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by V or H, followed by 0 thru 9, followed by 0 followed by -NH or -LF.

Model(s) CI40 followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by V or H, followed by R0-NH.

Model(s) CI40XXSL000 XX may be 02 thru 20.

Model(s) CI46, followed by 02 thru 20, followed by M, followed by 1 thru 4, followed by V, followed by R or T, followed by 0 or 1, followed by -NH.

Model(s) CP4602S00, followed by 0, 1, 3, 5 or 7, followed by 0.

Model(s) CPB2 followed by 02, 03, 04, followed by P or S, followed by 0R00.

(#) - "*" may be 1~9, or A~Z and "" may be alphanumeric

(a) - Followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75.

(b) - Followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

(c) - Followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40.

(d) - followed by 04 through 26, followed by M, followed by 1 or 2, followed by 0, 1 or 3, followed by two alphanumeric digits, followed by -NH or blank

(e) - followed by 04 through 26, followed by M, followed by 1 or 2, followed by 0, 1 or 3, followed by 0 or F, followed by 0 or L, followed by -W or -E

Note - All models may be followed by up to 6 alphanumerics.

Marking: Company name or tradename "CVILUX" , "CviLux" and model designation on the device or carton.

Last Updated on 2019-04-10
