

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Connectors for Use in Data, Signal, Control and Power Applications - Component

COMPANY

CVILUX CORP

9F No 9 Ln 3 Sec 1 Zhongzheng E Rd
Tamsui District
New Taipei, 25147 Taiwan

E159616

Marking: Company name or tradename "CviLux" , and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): CI3304 followed by S or P., CI3504 followed by S or P.

Model(s): CF42, followed by 04 thru 24, followed by 1, 2 or F, followed by H0, followed by R or T, followed by 0, 2 or W, followed by -10, followed by -NH.

Model(s): CI 34, followed by 04 through 80, followed by S. may be followed by four or five alphanumeric.

Model(s): CI01, followed by 06 through 32, followed by S, followed by D, followed by three alphanumeric digits.

Model(s): CI02 followed by 02 through 16, followed by S.

Model(s): CI21 followed by 02 through 15, followed by S or P.

Model(s): CI22 followed by 02 through 20, followed by S or P.

Model(s): CI23 followed by 02 through 20, followed by S or P.

Model(s): CI25 followed by 02 through 15, followed by S or P.

Model(s): CI26 followed by 02 through 16, followed by S or P.

Model(s): CI31 followed by 02 through 20, followed by S or P.

Model(s): CI40 , followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by V or H, followed by R0-NH.

Model(s): CI40, followed by 02 thru 20, followed by SL000.

Model(s): CI46, followed by 02 thru 20, followed by M, followed by 1 thru 4, followed by V, followed by R or T, followed by 0

or 1, followed by -NH.

Model(s): CI51 followed by 02 through 20, followed by S or P.

Model(s): CI52 followed by 02 through 12, followed by S or P.

Model(s): CI53 followed by 06 or 12, followed by S or P.

Model(s): CI54 followed by 02 through 10, followed by S or P.

Model(s): CI55 followed by 02 through 10, followed by S or P.

Model(s): CI56 followed by 02 through 10, followed by S or P.

Model(s): CI61 followed by 01 through 06, followed by S or P.

Model(s): CI62 followed by 01 through 06, followed by S or P.

Model(s): CI64 followed by 01 through 06, followed by P.

Model(s): CI65 followed by 01 through 06, followed by P.

Model(s): CI71 followed by 02 through 10, followed by P.

Model(s): CI72 followed by 02 through 12, followed by P.

Model(s): CI73 followed by 02 through 10, followed by P.

Model(s): CI74 followed by 02 through 12, followed by P.

Model(s): CI75, CI76 followed by 02 through 12, followed by P or S.

Model(s): CI78, CI79 followed by 02 through 20, followed by P.

Model(s): CIEB, followed by 02 thru 05 , followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by -LF or blank

Model(s): CIEB, followed by 02 thru 05, followed by P, followed by one alphanumeric digit, followed by P, followed by 0, followed by 0, followed by -LF or blank

Model(s): CIEB, followed by 02 thru 13, followed by P, followed by one alphanumeric digit, followed by H, followed by 0, followed by 0, followed by -LF or blank

Model(s): CIEB, followed by 02 thru 14, followed by P, followed by one alphanumeric digit, followed by V, followed by 0, followed by 0, followed by -LF or blank

Model(s): CIEB, followed by 02 thru 20, followed by S, followed by one alphanumeric digit, followed by 00S

Model(s): CIEB, followed by 10 thru 28, followed by P, followed by one alphanumeric digit, followed by P, followed by D, followed by 0, followed by -LF or blank

Model(s): CIEB, followed by 10 thru 40, followed by P, followed by one alphanumeric digit, followed by V, followed by D, followed by 0, followed by -LF or blank

Model(s): CIEB, followed by 10 thru 40, followed by S, followed by one alphanumeric digit, followed by 00D

Model(s): CP4602S00 , followed by 0, 1, 3, 5 or 7, followed by 0.

Model(s): CPB2 followed by 02, 03, 04, followed by P or S, followed by 0R00.

Connector, Model(s): CD72 , followed by 09, 15, 25 or 37, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, D5, D7, N0 or N1.

Connector, Model(s): CD72, followed by 09, 15, 25 or 37, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by DE, followed by T0 or blank, followed by LF.

Connector, Model(s): CD72, followed by 09, 15, 25 or 37, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, D5, D7, N0, N1, AA, A0 or A1.

Connector, Model(s): CD72, followed by 09, 15, 25 or 37, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by DE, followed by LF.

Connector, Model(s): CD72, followed by 50 , followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, N0 or N1.

Connector, Model(s): CD72, followed by 50, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 00, B0, B1, C0, C1, D3, D4, D7, N0 or N1.

Connector, Model(s): CD72, followed by 50, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by DE or DF, followed by LF.

Connector, Model(s): CI0702M , followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 1 or L, followed by -NH.

Connector, Model(s): CI0702M, followed by one alphanumeric digit, followed by H, followed by R or T, followed by one alphanumeric digit, followed by -NH

Connector, Model(s): CI10 , followed by 02 thru 16, followed by P, followed by one alphanumeric digit, followed by H, followed by K, followed by one alphanumeric digit.

Connector, Model(s): CI39, followed by 02 thru 18, followed by M, followed by one alphanumeric digit, followed by V, followed by two alphanumeric digits, followed by -NH.

Connector, Model(s): CI43, followed by 04, 05, 06 or 08, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by A-LF.

Connector, Model(s): CI88 , followed by 02 thru 18, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connector, Model(s): CID1 , followed by 01 thru 03, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by -NH.

Connector, Model(s): CIL102M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -NH

Connector, Model(s): CP-01, followed by 4, followed by 06, followed by 1 or 2, followed by 5, followed by M or blank, followed by -PA.

Connector, Model(s): CP1602M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -NH.

Connector, Model(s): CP35, followed by 02 thru 12 , followed by P, followed by one alphanumeric digit, followed by H00-S, followed by -LF or -NH, followed by -T.

Connector, Model(s): CP35, followed by 02 thru 12, followed by P , followed by one alphanumeric digit, followed by V00-S, followed by -LF or -NH, followed by -T.

Connector, "CA30(M) Series", Model(s): CA30 followed by 04 through 26, followed by M, followed by 1 or 2, followed by 0,

1 or 3, followed by two alphanumeric digits, followed by -NH or blank.

Connector, "CA32(M) Series", Model(s): CA32 followed by 04 through 26, followed by M, followed by 1 or 2, followed by 0, 1 or 3, followed by 0 or F, followed by 0 or L, followed by -W or -E.

Connectors, Model(s): CD81V1PP, CD81V1PS, CD81V1SP, CD81V1SS, CD81V2PP, CD81V2PS, CD81V2SP, CD81V2SS, CD81V3PP, CD81V3PS, CD81V3SP, CD81V3SS, CD9109P, CD9115P, CD9125P, CD92A1, CD92A2, CD92A3, CD92A4, CD9375P, CI0102P thru CI0115P, CI0102S thru CI0115S, CI0202S thru CI0216S, CI2102P thru CI2115P, CI2102S thru CI2115S, CI2202P thru CI2220P, CI2202S thru CI2220S, CI2302P thru CI2320P, CI2302S thru CI2320S, CI2502P thru CI2515P, CI2502S thru CI2515S, CI2602P thru CI2616P, CI2602S thru CI2616S, CI3002P*H** (#), CI3003P*H** (#), CI3004P*H** (#), CI3005P*H** (#), CI3006P*H** (#), CI3007P*H** (#), CI3008P*H** (#), CI3009P*H** (#), CI3010P*H** (#), CI3011P*H** (#), CI3012P*H** (#), CI3013P*H** (#), CI3014P*H** (#), CI3015P*H** (#), CI3102P thru CI3120P, CI3102S thru CI3120S, CI3304P, CI3304S, CI3504P, CI3504S, CI44-02-S0000 thru CI44-15-S0000, CI5102P thru CI5120P, CI5102S thru CI5120S, CI5202P thru CI5212P, CI5202S thru CI5212S, CI5306P thru CI5312P, CI5306S thru CI5312S, CI5402P thru CI5410P, CI5402S thru CI5410S, CI5502P thru CI5510P, CI5502S thru CI5510S, CI5602P thru CI5610P, CI5602S thru CI5610S, CI6101P thru CI6106P, CI6101S thru CI6106S, CI6201P thru CI6206P, CI6201S thru CI6206S, CI6401P thru CI6406P, CI6501P thru CI6506P, CI7202P thru CI7212P, CI7302P thru CI7310P, CI7402P thru CI7412P, CI7502P thru CI7512P, CI7502S thru CI7512S, CI7602P thru CI7612P, CI7602S thru CI7612S, CI7702S thru CI7720S, CI7802P thru CI7820P, CI7802S thru CI7820S, CI7902P thru CI7920P, CI7902S thru CI7920S, CI94PF00100, CP-01102, CP-01104, CP-01106, CP-01108, CP-01110, CP-01112, CP-01114, CP-01116, CP-01118, CP-01120, CP-01122, CP-01124, CP-01202, CP-01204, CP-01206, CP-01208, CP-01210, CP-01212, CP-01214, CP-01216, CP-01218, CP-01220, CP-01222, CP-01224, CP0201P, CP0201S, CP0202P, CP0202S, CP0203P, CP0203S, CP0204P, CP0204S, CP0205P, CP0205S, CP0206P, CP0206S, CP0209P, CP0209S, CP0212P, CP0212S, CP0215P, CP0215S, CP0302P, CP0302S, CP0303P, CP0303S, CP0304P, CP0304S, CP0306P, CP0306S, CP0309P, CP0309S, CP04, followed by 2, followed by A,, CP04, followed by 4 or 5, CP05, CP05, followed by, CP05, followed by 02P,, CP05, followed by 02P, followed by, CP05, followed by 02SL0,, CP0602P thru CP0612P, CP0602S thru CP0612S, CP0802P1VCP, CP0802P1VCS, CP0802SCS00, CP0806P1VDP, CP0806P1VDS, CP0806SCT00, CP0810P1VCP, CP0810P1VCS, CP0810SCS00, CP0815P1VDP, CP0815P1VDS, CP0815SCT00, CP1102P, CP1102S, CP1103P, CP1103S, CP1104P, CP1104S, CP1106P, CP1106S, CP1109P, CP1109S, CP1112P, CP1112S, CP31001S, CP31002S, CP31003S, CP31004S, CP31006S, CP31009S, CP31012P, CP31012S, CP31015P, CP31015S, CP3101P, CP3102P, CP3103P, CP3104P, CP3106P, CP3109P, CP3502S thru CP3524S

Connectors, Model(s): 11W1PCH, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PCS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PCV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PPH, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PPH, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PPS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PPS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PPV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): 11W1PPV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

followed by three alphanumeric digits.

Connectors, Model(s): C8W8PPS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): C8W8PPS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): C8W8PPV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): C8W8PPV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SCH, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SCS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SCV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SPH, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SPH, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SPS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SPS, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SPV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

Connectors, Model(s): C8W8SPV, followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40, followed by three alphanumeric digits.

Connectors, Model(s): CA02, followed by 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100, followed by S, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by two alphanumeric digits

Connectors, Model(s): CA04, followed by 10, 14, 16, 20, 26, 34, 40, 50, or 60 followed by P, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by two alphanumeric digits

Connectors, Model(s): CA11, followed by 20, 22, 24, 26, 34, 36, 40, 44, 50 or 68, followed by S, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by 00 or A0

Connectors, Model(s): CA21, followed by 06, 08, 10, 12, 14, 16, 20, 24, 26, 30, 34, 40, 44, 50, 56, 60, 62 or 64, followed by S, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by 00 or A0

Connectors, Model(s): CA23, followed by 08, 10, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60 or 64, followed by P, may be followed by 1, A, B or C, may be followed by 0 thru 9, may be followed by two alphanumeric digits

Connectors, Model(s): CA30, CA31, followed by 04 through 26, followed by P, followed by four alphanumeric digits.

Connectors, Model(s): CA33, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24 or 26, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by I, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s): CA34, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24 or 26, followed by P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s): CA35, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24 or 26, followed by H, M or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s): CB27, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by H100.

Connectors, Model(s): CB39 followed by 02 thru 40, followed by one alphanumeric digit, followed by H or V, followed by one alphanumeric digit, followed by two alphanumeric digits.

Connectors, Model(s): CB50, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98 or X1, followed by one alphanumeric digit, followed by 0 or P, followed by 0 or P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s): CB50, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98 or X1, followed by one alphanumeric digit, followed by A or B, followed by 0 or P, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s): CB74, followed by 04 through 80, followed by one alphanumeric digit, followed by H or V, followed by three alphanumeric digits.

Connectors, Model(s): CB83 , followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by R, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 0, 1, 2 or 3, followed by -LF, -NH or blank.

Connectors, Model(s): CB85 , followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by two alphanumeric digits, followed by -LF, -NH or blank.

Connectors, Model(s): CB91, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by H or V, followed by one alphanumeric digit, followed by two alphanumeric digits.

Connectors, Model(s): CBRE030SA and CBRE030PA, followed by one alphanumeric digit, followed by 0 or F, followed by 00 or P1, followed by two alphanumeric digits, followed by NH.

Connectors, Model(s): CD01, followed by 15, 26, 44 or 62 followed by S or P, may be followed by four or vide alphanumerics.

Connectors, Model(s): CD02, followed by 15, 26, 44 or 62 followed by S or P, may be followed by four or vide alphanumerics.

Connectors, Model(s): CD03, followed by 15, 26, 44 or 62 followed by S or P, may be followed by four or vide alphanumerics.

Connectors, Model(s): CD04, followed by 15, 26, 44 or 62 followed by S or P, may be followed by four or vide

alphanumerics.

Connectors, Model(s): CD05, followed by 15, 26, 44 or 62 followed by S or P, may be followed by four or vide alphanumerics.

Connectors, Model(s): CD51, followed by 09, 15, 25 or 37, followed by S or P.

Connectors, Model(s): CD52, followed by 09, 15, 25 or 37, followed by S or P.

Connectors, Model(s): CD53, followed by 09, 15, 25 or 37, followed by S or P.

Connectors, Model(s): CD54, followed by 09, 15, 25 or 37, followed by S or P.

Connectors, Model(s): CD5809S and CD5809P, followed by one alphanumeric digit, followed by 0 or 1, followed by two alphanumeric digits.

Connectors, Model(s): CD61, followed by 09, 15, 25 or 37, followed by S or P.

Connectors, Model(s): CF07, followed by 04 through 32, followed by 1, followed by D or U, followed by 0, followed by R or T, followed by 0

Connectors, Model(s): CF08 , followed by 04 thru 32, followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -LF, -NH or blank.

Connectors, Model(s): CF08, followed by 04 through 32, followed by 1, followed by H, followed by 2, followed by R or T, followed by 0.

Connectors, Model(s): CF09, followed by 04 through 32, followed by 1, followed by H or V, followed by 2, followed by 00.

Connectors, Model(s): CF10, followed by 04 through 32, followed by 1, followed by D, M, U or V, followed by 0, followed by T, followed by 0.

Connectors, Model(s): CF16, followed by 04 through 32, followed by 1, followed by D, M, U or V, followed by 0, followed by T, followed by 0.

Connectors, Model(s): CF20 , followed by 04 thru 50, followed by one alphanumeric digit, followed by D, U or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -LF, -NH or blank.

Connectors, Model(s): CF20 , followed by 04 thru 24, followed by one alphanumeric digit, followed by D, U or V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -1, followed by 0 or W, followed by -LF, -NH or blank.

Connectors, Model(s): CF21, followed by 06 thru 50, followed by 1, followed by D, U or V, Followed by 0, followed by two alphanumeric digits

Connectors, Model(s): CF23 , followed by 04 thru 40, followed by one alphanumeric digit, followed by D or U, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -LF, -NH or blank.

Connectors, Model(s): CF23, followed by 02 thru 20 , followed by one alphanumeric digit, followed by D or U, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by -10, followed by -NH.

Connectors, Model(s): CF25, followed by 04 through 32, followed by one alphanumeric digit, followed by D, followed by 0 or 1, followed by two alphanumeric digits, followed by -10, followed by -NH.

Connectors, Model(s): CF25, followed by 08 through 65, followed by one alphanumeric digit, followed by D, followed by 0 or

1, followed by two alphanumeric digits, followed by -05, followed by -NH.

Connectors, Model(s): CF27 , followed by 04 thru 65, followed by one alphanumeric digit, followed by H, followed by 0 or 1, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CF30 , followed by 11 thru 61, followed by one alphanumeric digit, followed by D, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by A or B, followed by -NH.

Connectors, Model(s): CF42 , followed by 04 thru 50, followed by 1, 2 or F, followed by H0, followed by R or T, followed by 0, 2 or W, followed by -05, followed by -NH.

Connectors, Model(s): CH01, followed by 02 through 50, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH11, followed by 02 through 40, followed by 1 thru 4, followed by V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH31, followed by 02 through 40, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00, 01, 02 or 03

Connectors, Model(s): CH61, followed by 06 thru 100 inclusive, followed by 1 thru 4, followed by V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH66, followed by 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100, followed by 1, A, B or C, followed by H or V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH71, followed by 02 thru 80 inclusive, followed by 1 thru 4, followed by V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH74, followed by 16, 20, 26, 34, 40, 44, 50 or 68, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH81, followed by 02 thru 80 inclusive, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00 or 01

Connectors, Model(s): CH85 , followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by one alphanumeric digit, followed by V, followed by 2 or A, followed by 0W.

Connectors, Model(s): CH87, followed by 10, 14, 16, 20, 26, 30, 34, 40, 50, 60 or 64, followed by 1 thru 4, followed by H or V, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CH88, followed by 10, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60 or 64, followed by 1 thru 4, followed by A or B, may be followed by 0 thru 9, followed by 00

Connectors, Model(s): CI 32, followed by 02 through 40, followed by S. may be followed by four or five alphanumerics.

Connectors, Model(s): CI01 followed by 02 through 15, followed by S or P.

Connectors, Model(s): CI01 , followed by 02 thru 10, followed by M, followed by 1, 2 or A, followed by V, followed by R or T, followed by 0 or 1, followed by -HC, followed by -NH

Connectors, Model(s): CI01 , followed by 02 thru 10, followed by S, followed by 00, followed by 0 thru 7, followed by 0, followed by -HC, followed by -NH.

Connectors, Model(s): CI01 , followed by 02 thru 10, followed by M, followed by 1, 2 or A, followed by H, followed by R or T, followed by 0 or 1, followed by -HC, followed by -NH

Connectors, Model(s): CI01, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0 or N, followed by LF, NH or blank.

Connectors, Model(s): CI01, followed by 02 thru 16, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by LF, NH or blank.

Connectors, Model(s): CI01, followed by 02 thru 16, followed by P, followed by one alphanumeric digit, followed by H or V, followed by K or 0, followed by 0, followed by LF or NH.

Connectors, Model(s): CI01, followed by 06 thru 34, followed by P, followed by one alphanumeric digit, followed by H or V, followed by D, followed by one alphanumeric digit except for L, followed by LF or NH.

Connectors, Model(s): CI01, followed by 06 thru 34, followed by P, followed by one alphanumeric digit, followed by H or V, followed by D, followed by L, followed by LF or NH.

Connectors, Model(s): CI01, followed by 06, 08 or 10, followed by SD0A, followed by one alphanumeric digit

Connectors, Model(s): CI01, followed by 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 34, followed by SD0L, followed by one alphanumeric digit

Connectors, Model(s): CI01, followed by 10, 12, 14 or 16, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by L, followed by LF or NH.

Connectors, Model(s): CI01, followed by 10, 12, 14 or 16, followed by S, followed by 00, followed by L, followed by one alphanumeric digit.

Connectors, Model(s): CI01, followed by 14, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by LC.

Connectors, Model(s): CI0702S0, followed by three alphanumeric digits

Connectors, Model(s): CI0702SL, followed by three alphanumeric digits, followed by –NH

Connectors, Model(s): CI11 , followed by 12, 16, 20, 30, 40 or 50, followed by M, followed by one alphanumeric digit, followed by H, followed by D, followed by one alphanumeric digit, followed by two alphanumeric digits, followed by –NH or blank.

Connectors, Model(s): CI11, followed by 02 thru 18, 20 or 26, followed by M, followed by one alphanumeric digit, followed by H, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s): CI11, followed by 02 thru 18, 20 or 26, followed by M, followed by one alphanumeric digit, followed by V, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s): CI11, followed by 12, 16, 20 , 30, 40 or 50, followed by M, followed by one alphanumeric digit, followed by H, followed by D, followed by one alphanumeric digit, followed by two alphanumeric digits, followed by –NH or blank.

Connectors, Model(s): CI11, followed by 16, 20, 30, , 40 or 50, followed by M, followed by one alphanumeric digit, followed by V, followed by D, followed by 0- or 1-, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by –NH or blank.

Connectors, Model(s): CI11, followed by 2 thru 15, followed by S, followed by 0 or N, followed by three alphanumeric digits, followed by NH

Connectors, Model(s): CI1330M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0, followed by NH or blank

Connectors, Model(s): CI1330M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit,

followed by A, followed by NH or blank

Connectors, Model(s): CI14, followed by 02 thru 12, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by C or E, followed by NH.

Connectors, Model(s): CI14, followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CI14, followed by 02 thru 20, followed by S, followed by 00 or L0, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CI14, followed by 03 thru 12, followed by M, followed by one alphanumeric digit, followed by V, followed by L, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CI15, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by LF, NH or blank.

Connectors, Model(s): CI15, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit except for L, followed by LF, NH or blank.

Connectors, Model(s): CI15, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by H or V, followed by two alphanumeric digits, followed by LF, NH or blank.

Connectors, Model(s): CI15, followed by 02 thru 15, followed by S, followed by 0, followed by two alphanumeric digits, followed by one alphanumeric digit.

Connectors, Model(s): CI15, followed by 03 thru 07, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by L, followed by NH.

Connectors, Model(s): CI15, followed by 03 thru 07, followed by S, followed by L0, followed by one alphanumeric digits, followed by one alphanumeric digit.

Connectors, Model(s): CI16, followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by 0 or A, followed by -NH.

Connectors, Model(s): CI16, followed by 02 thru 20, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0, A, B or C, followed by -NH.

Connectors, Model(s): CI16, followed by 02 thru 20, followed by S, followed by L, followed by 000 or 00A, followed by -NH.

Connectors, Model(s): CI18, followed by 02 thru 22, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CI18, followed by 02 thru 22, followed by S, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CI19, followed by 02 thru 12, followed by M, followed by one alphanumeric digit, followed by H or V, followed by two alphanumeric digits, followed by -NH.

Connectors, Model(s): CI19, followed by 02 thru 12, followed by S, followed by L0, followed by 0 or 1 thru 9, followed by one alphanumeric digit, followed by -NH.

Connectors, Model(s): CI25, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by V or H, followed by 0 thru 9, followed by 0 followed by -NH or -LF.

Connectors, Model(s): CI42, followed by 02 thru 10, followed by M, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH.

Connectors, Model(s): CI44 , followed by 02 thru 10, followed by S, followed by 00, followed by 0, followed by 0 or 0-L, followed by -NH, followed by -HC

Connectors, Model(s): CI44 , followed by 02 thru 10, followed by M, followed by 1 thru 4, followed by H, followed by 0 or R, followed by 0, followed by -NH, followed by -HC.

Connectors, Model(s): CI44 , followed by 02 thru 10, followed by M, followed by 1 thru 4, followed by V, followed by R, followed by 0 or P, followed by -NH, followed by -HC

Connectors, Model(s): CI44, followed by 02 through 15, followed by P or M, followed by 1, followed by V or H, followed by 00

Connectors, Model(s): CI44, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by H, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s): CI44, followed by 02 thru 15, followed by M, followed by one alphanumeric digit, followed by V, followed by two alphanumeric digits, followed by LF or NH.

Connectors, Model(s): CI44, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by H, followed by one alphanumeric digits, followed by 0, followed by LF or NH.

Connectors, Model(s): CI44, followed by 02 thru 15, followed by P, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0, followed by LF or NH.

Connectors, Model(s): CI44, followed by 02 thru 15, followed by S, followed by three alphanumeric digits, followed by 0 or 0-L, followed by NH

Connectors, Model(s): CI52 followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by H or V, followed by two alphanumeric digits, followed by -NH.

Connectors, Model(s): CI52 followed by 02 thru 12, followed by S, followed by 0000.

Connectors, Model(s): CI77 followed by 02 through 20, followed by P, followed by 1 thru 4, followed by V, followed by 00, 02, 05, 08, 09, 10, P3, PA, PB, 0C, 0D, E2, 0F, F2, 0H, or H2, followed by -NH.

Connectors, Model(s): CI77 followed by 02 through 20, followed by P, followed by 1 thru 4, followed by H, followed by 00 \ 03 \ 04 \ 05 \ 08 \ 10 \ A2 \ B3 \ BA \ D2 \ E0 \ FA \ L5, followed by -NH.

Connectors, Model(s): CI82, followed by 02 thru 24, followed by P, followed by one digit, followed by V or H, followed by 00 or 0L

Connectors, Model(s): CI83, followed by 02 thru 36, followed by P, followed by one digits, followed by V or H, followed by 00 or 0L

Connectors, Model(s): CI87 , followed by 08, 10 or 12, followed by S00, followed by 0 or 1, followed by 0, A, B or D.

Connectors, Model(s): CI87 , followed by 08, 10 or 12, followed by M, followed by one alphanumeric digit, followed by V, followed by one alphanumeric digit, followed by 0 or A, followed by -NH or blank.

Connectors, Model(s): CI94, followed by P, followed by FC or FM, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by NH or blank.

Connectors, Model(s): CI94, followed by P, followed by F, followed by 001, followed by 0P, followed by NH or blank.

Connectors, Model(s): CI94, followed by PFI, , followed by one alphanumeric digit, followed by one alphanumeric digit, followed by A or B, followed by L, P or 0, followed by -NH or blank.

Connectors, Model(s): CID1 , followed by 01 or 02, followed by M, followed by 1, 2, 3, 4, A, B, C or D, followed by H,

followed by R, followed by A, B, C or D, followed by -NH

Connectors, Model(s): CIEF10M , followed by A, B or C, followed by H, followed by R or T, followed by 0, followed by NH

Connectors, Model(s): CIEF10S , followed by A, B or C, followed by 000, followed by NH

Connectors, Model(s): CIEW , followed by 10 thru 18, followed by P, followed by 1, followed by V, followed by D, followed by 0, followed by -NH

Connectors, Model(s): CIEW , followed by 10 thru 18, followed by S, followed by 0000

Connectors, Model(s): CP-01, followed by 3, followed by 03 thru 05, followed by one alphanumeric digit, followed by M or N, followed by S, followed by -P1, -P2, -P3, -P4, -P5 or blank.

Connectors, Model(s): CP-01, followed by 4, followed by 03 thru 05, followed by one alphanumeric digit, followed by 0 thru 5, followed by S, followed by -P1, -P2, -P3, -P4, -P5 or blank.

Connectors, Model(s): CP-011 , followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by E.

Connectors, Model(s): CP-011 followed by 04, followed by two alphanumeric digits, followed by S, followed by -F.

Connectors, Model(s): CP-011, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by 0, followed by 1 or 3, followed by one alphanumeric digit or blank.

Connectors, Model(s): CP-012 followed by 04, followed by two alphanumeric digits, followed by S, followed by -F.

Connectors, Model(s): CP-012, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by 0, followed by 0, 1, 2 or 3, followed by one alphanumeric digit or blank.

Connectors, Model(s): CP-012, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by 0, followed by 2 or 3, followed by 0, followed by -LT.

Connectors, Model(s): CP-013, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by one alphanumeric digit or blank, followed by 1, 3, 4, 5, 6, 7, 8 or 9, followed by one alphanumeric digit or blank.

Connectors, Model(s): CP-013, followed by 03 thru 05, followed by one alphanumeric digit, followed by 1 or 3 thru 9, followed by S.

Connectors, Model(s): CP-014 followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, or 24, followed by one alphanumeric digit or blank, followed by 0 thru 7, followed by one alphanumeric digit or blank.

Connectors, Model(s): CP-014 , followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 2, 3 or 5, followed by 0, followed by -HC, followed by -LT.

Connectors, Model(s): CP-014 , followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 7, followed by 0, followed by -HC, followed by -LT.

Connectors, Model(s): CP01H , followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 2, 3 or 5, followed by 0.

Connectors, Model(s): CP01H , followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by one alphanumeric digit, followed by 7, followed by 0.

Connectors, Model(s): CP01P , followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by 0, followed by 2 or 3, followed by 0.

Connectors, Model(s): CP04, followed by 02, 03, 04 or 05, followed by S, followed by L, followed by 0 or N, followed by one

Connectors, Model(s): CP04, followed by 4 or 5, followed by A, followed by P, followed by one alphanumeric digit, followed by M, followed by L, followed by 0, followed by LF or NH.

Connectors, Model(s): CP04, followed by 4 or 5, followed by AP, followed by one alphanumeric digit, followed by ML0, followed by LF, NH.

Connectors, Model(s): CP05, followed by 04, followed by S, followed by L, followed by two alphanumeric digits, followed by one alphanumeric digit.

Connectors, Model(s): CP15 followed by 02, 03,04 or 05, followed by M, followed by 1 or 2, followed by P or S, followed by R or T, followed by 0 thru 9 or N, followed by -NH, followed by X01 thru X99 or blank.

Connectors, Model(s): CP3204P may be followed by four alphanumerics

Connectors, Model(s): CP3204S may be followed by four alphanumerics

Connectors, Model(s): CP3304P may be followed by four alphanumerics

Connectors, Model(s): CP3304S may be followed by four alphanumerics

Connectors, Model(s): CP35 , followed by 02 thru 12, followed by P, followed by 1, A, B or C, followed by V, followed by 0, followed by 0, followed by HF.

Connectors, Model(s): CP35, followed by 02 thru 12, followed by SML, followed by 0 or 1, followed by S-A.

Connectors, Model(s): CP35, followed by 02 thru 24, followed by SML, followed by 0 or 1, followed by 0-C.

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by 1, A, B or C, followed by H, followed by S, followed by T, followed by HF.

Connectors, Model(s): CP35, followed by 02 , 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by P, followed by one alphanumeric digit, followed by H, followed by 00, 0B, 0D, 0H, S0, SP, SR or ST, followed by LF, NH or blank.

Connectors, Model(s): CP35, followed by 02 through 24 , followed by P or S.

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by H, followed by S, followed by M, followed by S, followed by LF or NH.

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by 0 or R, followed by two alphanumeric digits, followed by S, followed by NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by H00-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by HS0-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by HSP-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by HST-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by V00-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by VS0-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by P, followed by one alphanumeric digit, followed by VST-S, followed by LF or NH

Connectors, Model(s): CP35, followed by 02 thru 12, followed by S, followed by ML, followed by 1, followed by S, followed by NH or blank.

Connectors, Model(s): CP35, followed by 02 thru 12, followed by S, followed by three alphanumeric digits, followed by S, followed by NH

Connectors, Model(s): CP35, followed by 02, 04 , 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by P, followed by one alphanumeric digit, followed by V, followed by 00, 0B, 0E, S0, SA, SF or ST, followed by LF, NH or blank.

Connectors, Model(s): CP35, followed by 02, 04, 06, 08 , 10, 12, 14, 16, 18, 20, 22 or 24, followed by S, followed by ML, followed by 1, followed by 0, followed by NH or blank.

Connectors, Model(s): CP35, followed by 02, 04, 06, 08, 10, 12, 14, 16, 18, 20, 22 or 24, followed by P, followed by one alphanumeric digit, followed by H, followed by S, followed by M, followed by LF or NH.

Connectors, Model(s): CP3502P, followed by one alphanumeric digit, followed by HBP S NH.

Connectors, Model(s): CP45 followed by 2CS, followed by A1 or A2, followed by 0A.

Connectors, Model(s): CP54 , followed by 03, followed by P, followed by S, followed by H, followed by 00, followed by -NH

Connectors, Model(s): CP60, followed by 02, 04, 06, 08, 10 or 12, followed by P, followed by one alphanumeric digit, followed by H or V, followed by 00, followed by -NH.

Connectors, Model(s): CP60, followed by 02, 04, 06, 08, 10 or 12, followed by S, followed by 0 or N, followed by 0, followed by 0 or 1, followed by 0, followed by -NH or blank.

Connectors, Model(s): CP75 followed by 08, 10, 12 or 14, followed by M, followed by one alphanumeric digit, followed by P or S, followed by A, R or T, followed by 0 or A, followed by -NH or blank.

Connectors, Model(s): CPF12150SP , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF12150SS , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF14150SP , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF14150SS , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF24075SP , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF24075SS , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF28075SP , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CPF28075SS , followed by A or C, followed by 9, followed by 4, followed by 0, followed by 0 or P, followed by 0, 1 or 2, followed by 0

Connectors, Model(s): CS304013 or CS304525, , followed by one alphanumeric digit, followed by one alphanumeric digit,

followed by 0 or 1, followed by –NH or blank.

Connectors, Model(s): CU01P may be followed by one thru. six alphanumerics.

Connectors, Model(s): CU01S may be followed by one thru. six alphanumerics.

Connectors, Model(s): CU02P may be followed by one thru. six alphanumerics.

Connectors, Model(s): CU02S may be followed by one thru. six alphanumerics.

Connectors, Model(s): CU03S may be followed by one through six alphanumerics.

Connectors, Model(s): CU04S may be followed by one through six alphanumerics.

Connectors, Model(s): CU05, followed by S, followed by A, B or C, followed by H, V, or M, followed by 0 or 1, followed by F, U, M, D or S, followed by two alphanumerical digits.

Connectors, "CB74(M) Series", Model(s): CB74, followed by 06 through 60 , followed by one alphanumeric digit, followed by M, followed by one alphanumeric digit, followed by 0 or 1, followed by one alphanumeric digit.

Connectors, "CI11(M) Series", Model(s): CI11, followed by 02 through 15, followed by M, followed by one alphanumeric digit, followed by V or H, followed by two alphanumeric digits.

Connectors, "CI11(S) Series", Model(s): CI11, followed by 02 through 15, followed by S, followed by 0000.

Connectors, "CP-011(S) Series", Model(s): CP-011, followed by 03 or 05, followed by two alphanumeric digits, followed by S.

Connectors, "CP-012(S) Series", Model(s): CP-012 , followed by 04, followed by two alphanumeric digits, followed by S, followed by -F.

Connectors, "CP-012(S) Series", Model(s): CP-012, followed by 03 or 05, followed by two alphanumeric digits, followed by S.

Connectors, "CP04(P) Series", Model(s): Cat. No. CP04, followed by 2, 3 or 4, followed by A, B or C , followed by P, followed by one alphanumerical digit, followed by M, followed by one alphanumerical digit, followed by 0.

Connectors, "CP04(S) Series", Model(s): Cat No. CP04, followed by 02, 03 or 04, followed by S, followed by 0000.

Connectors, "CP05(P) Series", Model(s): Cat. No. CP05, followed by 02, followed by P , followed by one alphanumerical digit, followed by M, followed by one alphanumerical digit, followed by 0.

Connectors, "CP05(S) Series", Model(s): Cat No. CP05, followed by 02, followed by S, followed by 0000.

Connectors, "Series CA30(I)", Model(s): CA30, followed by 04 through 26, followed by P, followed by two alphanumeric digits, followed by I, followed by one alphanumeric digit.

Connectors, "Series CA32(H) and CA32(V)", Model(s): CA32, followed by 04 through 26, followed by H or V, followed by three alphanumeric digits, followed by 0 or L.

Connectors, "Series CA32(M)", Model(s): CA32, followed by 04 through 26, followed by M, followed by three alphanumeric digits, followed by 0 or L.

Connectors, "Series CF25(05)", Model(s): CF25, followed by 08 through 65, followed by one alphanumeric digit, followed by D, followed by three alphanumeric digits, followed by -05.

Connectors, "Series CF25(10)", Model(s): CF25, followed by 04 through 32, followed by one alphanumeric digit, followed by D, followed by three alphanumeric digits, followed by -10.

Connectors, "Series CI01(P)", Model(s): CI01, followed by 06 through 32, followed by P, followed by one alphanumeric digit, followed by H or V, followed by D, followed by one alphanumeric digit.

Connectors, "Series CI06(S)", Model(s): CI06, followed by 02 through 16, followed by S0, followed by three alphanumeric digits.

Series CI06(P), Model(s): CI06, followed by 02 through 16, followed by P, followed by one alphanumeric digit, followed by V or H, followed by two alphanumeric digits.

(#) - "*" may be 1~9, or A~Z and "***" may be alphanumeric

(a) - Followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 50 or 75.

(b) - Followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 20, followed by three alphanumeric digits.

(c) - Followed by 2, 3, 4 or 5, followed by 2, 3, 4, A, B or C, followed by 1 or 6, followed by 40.

(d) - followed by 04 through 26, followed by M, followed by 1 or 2, followed by 0, 1 or 3, followed by two alphanumeric digits, followed by -NH or blank

(e) - followed by 04 through 26, followed by M, followed by 1 or 2, followed by 0, 1 or 3, followed by 0 or F, followed by 0 or L, followed by -W or -E

Note - All models may be followed by up to 6 alphanumerics.

Last Updated on 2023-11-21

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."